

## Contents

STANDARD MODELS .....	1
MXZ-2C20NA2 OPERATIONAL PERFORMANCE DUCTED .....	1
MXZ-2C20NA2 OPERATIONAL PERFORMANCE NON-DUCTED.....	2
MXZ-3C24NA2/MXZ-3C24NA OPERATIONAL PERFORMANCE DUCTED.....	3
MXZ-3C24NA2/MXZ-3C24NA OPERATIONAL PERFORMANCE NON-DUCTED .....	4
MXZ-3C30NA2/MXZ-3C30NA OPERATIONAL PERFORMANCE DUCTED.....	5
MXZ-3C30NA2/MXZ-3C30NA OPERATIONAL PERFORMANCE NON-DUCTED .....	6
MXZ-3C30NA2/MXZ-3C30NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.,.....	7
MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE DUCTED.....	8
MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE NON-DUCTED .....	9
MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.....	10
MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.....	11
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE DUCTED.....	12
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE DUCTED, cont.....	13
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED .....	14
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.....	15
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.....	16
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.....	17
MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.....	18
H2I® MODELS .....	19
MXZ-2C20NAHZ2/MXZ-2C20NAHZ OPERATIONAL PERFORMANCE DUCTED.....	19
MXZ-2C20NAHZ2/MXZ-2C20NAHZ OPERATIONAL PERFORMANCE NON-DUCTED.....	20
MXZ-3C24NAHZ2/MXZ-3C24NAHZ OPERATIONAL PERFORMANCE DUCTED.....	21
MXZ-3C24NAHZ2/MXZ-3C24NAHZ OPERATIONAL PERFORMANCE NON-DUCTED.....	22
MXZ-3C30NAHZ2/MXZ-3C30NAHZ OPERATIONAL PERFORMANCE DUCTED.....	23
MXZ-3C30NAHZ2/MXZ-3C30NAHZ OPERATIONAL PERFORMANCE NON-DUCTED.....	24
MXZ-3C30NAHZ2/MXZ-3C30NAHZ OPERATIONAL PERFORMANCE NON-DUCTED, cont.,.....	25

# STANDARD MODELS

## MXZ-2C20NA2 OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	750	3.4	3.0
		10,900	9	10,900	0	0	0	0	0	0	0	1,000	4.6	4.2
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,010	4.5	4.1
		13,600	12	13,600	0	0	0	0	0	0	0	1,260	5.8	5.2
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,560	7.0	6.3
		18,000	15	18,000	0	0	0	0	0	0	0	1,650	8.4	7.6
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,630	7.8	7.1
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,810	8.7	7.9
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	2,000	9.6	8.7
		22,000	9 + 12	9,800	12,200	0	0	0	0	0	0	1,770	8.6	7.7
2	24	20,000	9 + 15	7,500	12,500	0	0	0	0	0	0	2,000	9.6	8.7
		22,000	9 + 15	8,300	13,700	0	0	0	0	0	0	1,770	8.6	7.7
2	24	20,000	12 + 12	10,000	10,000	0	0	0	0	0	0	2,000	9.6	8.7
		22,000	12 + 12	11,000	11,000	0	0	0	0	0	0	1,770	8.6	7.7

# STANDARD MODELS

## MXZ-2C20NA2 OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	540	2.6	2.3
		7,400	6	7,400	0	0	0	0	0	0	0	670	3.3	3.3
1	9	9,000	9	9,000	0	0	0	0	0	0	0	670	3.3	3.0
		11,000	9	11,000	0	0	0	0	0	0	0	905	4.7	4.3
1	12	12,000	12	12,000	0	0	0	0	0	0	0	800	4.5	4.1
		13,600	12	13,600	0	0	0	0	0	0	0	1,240	6.2	5.6
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,060	6.4	5.8
		18,000	15	18,000	0	0	0	0	0	0	0	1,715	8.9	8.1
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	790	3.8	3.4
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	1,040	5.1	4.6
2	15	15,000	6 + 9	6,000	9,000	0	0	0	0	0	0	1,035	5.0	4.5
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	1,370	6.7	6.1
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,420	6.8	6.2
		21,000	6 + 12	7,400	13,600	0	0	0	0	0	0	1,640	8.0	7.3
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,420	6.8	6.2
		21,000	9 + 9	10,500	10,500	0	0	0	0	0	0	1,640	8.0	7.3
2	21	20,000	6 + 15	5,700	14,300	0	0	0	0	0	0	1,635	7.9	7.1
		22,000	6 + 15	6,400	15,600	0	0	0	0	0	0	1,780	8.7	7.9
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,635	7.9	7.1
		22,000	9 + 12	9,800	12,200	0	0	0	0	0	0	1,780	8.7	7.9
2	24	20,000	9 + 15	7,500	12,500	0	0	0	0	0	0	1,605	7.9	7.0
		22,000	9 + 15	8,300	13,700	0	0	0	0	0	0	1,780	8.7	7.9
2	24	20,000	12 + 12	10,000	10,000	0	0	0	0	0	0	1,605	7.9	7.0
		22,000	12 + 12	11,000	11,000	0	0	0	0	0	0	1,780	8.7	7.9

# STANDARD MODELS

## MXZ-3C24NA2/MXZ-3C24NA OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	940	4.8	4.3
		10,900	9	10,900	0	0	0	0	0	0	0	960	4.9	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,070	5.4	4.9
		13,600	12	13,600	0	0	0	0	0	0	0	1,220	6.2	5.6
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,370	6.9	6.3
		18,000	15	18,000	0	0	0	0	0	0	0	1,560	7.9	7.1
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,770	9.0	8.1
		21,600	18	21,600	0	0	0	0	0	0	0	2,010	10.2	9.2
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,750	8.7	7.8
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,750	8.7	7.8
2	21	21,000	9 + 12	9,000	12,000	0	0	0	0	0	0	2,040	10.1	9.1
		22,000	9 + 12	9,800	12,200	0	0	0	0	0	0	1,980	9.8	8.9
2	24	21,800	12 + 12	10,900	10,900	0	0	0	0	0	0	2,300	11.4	10.3
		24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,280	11.3	10.2
2	24	21,800	9 + 15	8,200	13,600	0	0	0	0	0	0	2,300	11.4	10.3
		24,000	9 + 15	9,100	14,900	0	0	0	0	0	0	2,280	11.3	10.2
2	27	21,800	9 + 18	7,500	14,300	0	0	0	0	0	0	2,260	11.2	10.1
		24,000	9 + 18	8,000	16,000	0	0	0	0	0	0	2,240	11.1	10.0
2	27	21,800	12 + 15	9,700	12,100	0	0	0	0	0	0	2,260	11.2	10.1
		24,000	12 + 15	10,300	13,700	0	0	0	0	0	0	2,240	11.1	10.0
3	27	21,800	9 + 9 + 9	7,300	7,300	7,300	0	0	0	0	0	1,920	9.3	8.4
		24,600	9 + 9 + 9	8,200	8,200	8,200	0	0	0	0	0	1,720	8.4	7.6

# STANDARD MODELS

## MXZ-3C24NA2/MXZ-3C24NA OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	870	4.4	4.0
		7,400	6	7,400	0	0	0	0	0	0	0	860	4.4	3.9
1	9	9,000	9	9,000	0	0	0	0	0	0	0	890	4.5	4.1
		11,000	9	11,000	0	0	0	0	0	0	0	950	4.8	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	980	5.0	4.5
		14,400	12	14,400	0	0	0	0	0	0	0	1,210	6.1	5.5
1	15	14,000	15	14,000	0	0	0	0	0	0	0	1,020	5.2	4.7
		18,000	15	18,000	0	0	0	0	0	0	0	1,600	8.1	7.3
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,440	7.3	6.6
		21,600	18	21,600	0	0	0	0	0	0	0	2,000	10.1	9.2
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	960	4.8	4.3
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	1,020	5.1	4.6
2	15	14,000	6 + 9	5,600	8,400	0	0	0	0	0	0	1,000	5.0	4.5
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	1,300	6.4	5.8
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,420	7.0	6.4
		22,000	6 + 12	7,500	14,500	0	0	0	0	0	0	1,600	7.9	7.2
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,420	7.0	6.4
		22,000	9 + 9	11,000	11,000	0	0	0	0	0	0	1,600	7.9	7.2
2	21	20,000	6 + 15	6,000	14,000	0	0	0	0	0	0	1,760	8.7	7.9
		22,000	6 + 15	6,400	15,600	0	0	0	0	0	0	1,880	9.3	8.4
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,760	8.7	7.9
		22,000	9 + 12	9,500	12,500	0	0	0	0	0	0	1,880	9.3	8.4
2	24	21,800	6 + 18	5,600	16,200	0	0	0	0	0	0	2,100	10.4	9.4
		24,000	6 + 18	6,100	17,900	0	0	0	0	0	0	2,140	10.6	9.6
2	24	21,800	12 + 12	10,900	10,900	0	0	0	0	0	0	2,100	10.4	9.4
		24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,140	10.6	9.6
2	24	21,800	9 + 15	8,500	13,300	0	0	0	0	0	0	2,100	10.4	9.4
		24,000	9 + 15	9,100	14,900	0	0	0	0	0	0	2,140	10.6	9.6
2	27	21,800	9 + 18	7,500	14,300	0	0	0	0	0	0	2,080	10.3	9.3
		24,000	9 + 18	8,100	15,900	0	0	0	0	0	0	2,100	10.4	9.4
2	27	21,800	12 + 15	10,100	11,700	0	0	0	0	0	0	2,080	10.3	9.3
		24,000	12 + 15	10,700	13,300	0	0	0	0	0	0	2,100	10.4	9.4
3	18	18,000	6 + 6 + 6	6,000	6,000	6,000	0	0	0	0	0	1,320	6.4	5.8
		22,000	6 + 6 + 6	7,300	7,300	7,300	0	0	0	0	0	1,540	7.5	6.5
3	21	21,000	6 + 6 + 9	6,000	6,000	9,000	0	0	0	0	0	1,560	7.6	6.9
		24,800	6 + 6 + 9	7,100	7,100	10,600	0	0	0	0	0	1,690	8.2	7.4
3	24	22,000	6 + 6 + 12	5,500	5,500	11,000	0	0	0	0	0	1,960	9.5	8.6
		25,000	6 + 6 + 12	6,300	6,300	12,300	0	0	0	0	0	1,920	9.3	8.4
3	24	22,000	6 + 9 + 9	5,500	8,300	8,300	0	0	0	0	0	1,960	9.5	8.6
		25,000	6 + 9 + 9	6,300	9,400	9,400	0	0	0	0	0	1,920	9.3	8.4
3	27	24,000	6 + 6 + 15	5,500	5,500	12,900	0	0	0	0	0	2,310	11.2	10.1
		25,000	6 + 6 + 15	5,600	5,600	13,700	0	0	0	0	0	1,880	9.1	8.3
3	27	24,000	6 + 9 + 12	5,300	8,000	10,700	0	0	0	0	0	2,310	11.2	10.1
		25,000	6 + 9 + 12	5,600	8,400	11,000	0	0	0	0	0	1,880	9.1	8.3
3	27	24,000	9 + 9 + 9	8,000	8,000	8,000	0	0	0	0	0	2,310	11.2	10.1
		25,000	9 + 9 + 9	8,300	8,300	8,300	0	0	0	0	0	1,880	9.1	8.3

# STANDARD MODELS

## MXZ-3C30NA2/MXZ-3C30NA OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	940	4.8	4.3
		10,900	9	10,900	0	0	0	0	0	0	0	960	4.9	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,070	5.4	4.9
		13,600	12	13,600	0	0	0	0	0	0	0	1,220	6.2	5.6
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,370	6.9	6.3
		18,000	15	18,000	0	0	0	0	0	0	0	1,560	7.9	7.1
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,770	9.0	8.1
		21,600	18	21,600	0	0	0	0	0	0	0	2,010	10.2	9.2
1	24	24,000	24	24,000	0	0	0	0	0	0	0	2,360	11.9	10.4
		26,000	24	26,000	0	0	0	0	0	0	0	2,710	13.7	12.4
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,750	8.7	7.8
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,750	8.7	7.8
2	21	21,000	9 + 12	9,000	12,000	0	0	0	0	0	0	2,040	10.1	9.1
		24,500	9 + 12	10,900	13,600	0	0	0	0	0	0	1,980	9.8	8.9
2	24	24,000	9 + 15	9,000	15,000	0	0	0	0	0	0	2,300	11.4	10.3
		27,200	9 + 15	10,300	16,900	0	0	0	0	0	0	2,150	10.7	9.6
2	27	26,200	9 + 18	9,000	17,200	0	0	0	0	0	0	2,560	12.7	11.5
		27,400	9 + 18	9,200	18,200	0	0	0	0	0	0	2,240	11.1	10.0
2	33	27,200	9 + 24	7,400	19,800	0	0	0	0	0	0	2,840	14.1	12.7
		27,400	9 + 24	8,100	19,300	0	0	0	0	0	0	2,120	10.5	9.5
2	24	24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,300	11.4	10.3
		27,200	12 + 12	13,600	13,600	0	0	0	0	0	0	2,150	10.7	9.6
2	27	26,200	12 + 15	11,600	14,600	0	0	0	0	0	0	2,560	12.7	11.5
		27,400	12 + 15	11,800	15,600	0	0	0	0	0	0	2,240	11.1	10.0
2	30	27,200	12 + 18	11,200	16,000	0	0	0	0	0	0	2,860	14.2	12.8
		27,400	12 + 18	10,600	16,800	0	0	0	0	0	0	2,160	10.7	9.7
2	36	27,200	12 + 24	9,100	18,100	0	0	0	0	0	0	2,820	14.0	12.6
		27,400	12 + 24	9,400	18,000	0	0	0	0	0	0	2,080	10.3	9.3
2	30	27,200	15 + 15	13,600	13,600	0	0	0	0	0	0	2,860	14.2	12.8
		27,400	15 + 15	13,700	13,700	0	0	0	0	0	0	2,160	10.7	9.7
2	33	27,200	15 + 18	12,700	14,500	0	0	0	0	0	0	2,840	14.1	12.7
		27,400	15 + 18	12,500	14,900	0	0	0	0	0	0	2,120	10.5	9.5
2	36	27,200	18 + 18	13,600	13,600	0	0	0	0	0	0	2,820	14.0	12.6
		27,400	18 + 18	13,700	13,700	0	0	0	0	0	0	2,080	10.3	9.3
3	27	27,000	9 + 9 + 9	9,000	9,000	9,000	0	0	0	0	0	2,410	11.7	10.6
		27,400	9 + 9 + 9	9,100	9,100	9,100	0	0	0	0	0	2,020	9.8	8.9
3	30	27,400	9 + 9 + 12	8,200	8,200	11,000	0	0	0	0	0	2,660	12.9	11.7
		27,600	9 + 9 + 12	8,500	8,500	10,600	0	0	0	0	0	2,060	10.0	9.1
3	33	27,800	9 + 9 + 15	7,600	7,600	12,600	0	0	0	0	0	2,950	14.3	13.0
		27,800	9 + 9 + 15	7,600	7,600	12,600	0	0	0	0	0	2,160	10.5	9.5
3	33	27,800	9 + 12 + 12	7,600	10,100	10,100	0	0	0	0	0	2,950	14.3	13.0
		27,800	9 + 12 + 12	8,000	9,900	9,900	0	0	0	0	0	2,160	10.5	9.5
3	36	28,200	9 + 9 + 18	7,200	7,200	13,800	0	0	0	0	0	3,170	15.4	13.9
		28,000	9 + 9 + 18	7,000	7,000	13,900	0	0	0	0	0	2,120	10.3	9.3
3	36	28,200	9 + 12 + 15	7,100	9,400	11,800	0	0	0	0	0	3,170	15.4	13.9
		28,000	9 + 12 + 15	7,200	9,000	11,900	0	0	0	0	0	2,120	10.3	9.3
3	36	28,200	12 + 12 + 12	9,400	9,400	9,400	0	0	0	0	0	3,170	15.4	13.9
		28,000	12 + 12 + 12	9,300	9,300	9,300	0	0	0	0	0	2,120	10.3	9.3

# STANDARD MODELS

## MXZ-3C30NA2/MXZ-3C30NA OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	870	4.4	4.0
		7,400	6	7,400	0	0	0	0	0	0	0	0	860	4.4
1	9	9,000	9	9,000	0	0	0	0	0	0	0	890	4.5	4.1
		11,000	9	11,000	0	0	0	0	0	0	0	0	950	4.8
1	12	12,000	12	12,000	0	0	0	0	0	0	0	980	5.0	4.5
		14,400	12	14,400	0	0	0	0	0	0	0	0	1,210	6.1
1	15	14,000	15	14,000	0	0	0	0	0	0	0	1,020	5.2	4.7
		18,000	15	18,000	0	0	0	0	0	0	0	0	1,600	8.1
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,440	7.3	6.6
		21,600	18	21,600	0	0	0	0	0	0	0	0	2,000	10.1
1	24	22,500	24	22,500	0	0	0	0	0	0	0	2,250	11.4	10.3
		27,600	24	27,600	0	0	0	0	0	0	0	0	2,640	13.4
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	960	4.8	4.3
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	0	1,020	5.1
2	15	15,000	6 + 9	6,000	9,000	0	0	0	0	0	0	1,000	5.0	4.5
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	0	1,300	6.4
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,420	7.0	6.4
		22,000	6 + 12	7,500	14,500	0	0	0	0	0	0	0	1,600	7.9
2	18	20,000	9 + 9	10,000	10,000	0	0	0	0	0	0	1,420	7.0	6.4
		22,000	9 + 9	11,000	11,000	0	0	0	0	0	0	0	1,600	7.9
2	21	20,000	6 + 15	6,000	14,000	0	0	0	0	0	0	1,760	8.7	7.9
		25,400	6 + 15	7,400	18,000	0	0	0	0	0	0	0	1,880	9.3
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,760	8.7	7.9
		25,400	9 + 12	11,000	14,400	0	0	0	0	0	0	0	1,880	9.3
2	24	23,000	6 + 18	5,900	17,100	0	0	0	0	0	0	2,100	10.4	9.4
		27,600	6 + 18	7,000	20,600	0	0	0	0	0	0	0	2,140	10.6
2	24	23,000	9 + 15	9,000	14,000	0	0	0	0	0	0	2,100	10.4	9.4
		27,600	9 + 15	10,500	17,100	0	0	0	0	0	0	0	2,140	10.6
2	24	23,000	12 + 12	11,500	11,500	0	0	0	0	0	0	2,100	10.4	9.4
		27,600	12 + 12	13,800	13,800	0	0	0	0	0	0	0	2,140	10.6
2	27	25,800	9 + 18	8,900	16,900	0	0	0	0	0	0	2,420	12.0	10.9
		27,600	9 + 18	9,300	18,300	0	0	0	0	0	0	0	2,100	10.4
2	27	25,800	12 + 15	11,900	13,900	0	0	0	0	0	0	2,420	12.0	10.9
		27,600	12 + 15	12,300	15,300	0	0	0	0	0	0	0	2,100	10.4
2	30	27,200	12 + 18	11,200	16,000	0	0	0	0	0	0	2,800	13.9	12.6
		27,600	12 + 18	11,000	16,600	0	0	0	0	0	0	0	2,120	10.5
2	30	27,200	15 + 15	13,600	13,600	0	0	0	0	0	0	2,800	13.9	12.6
		27,600	15 + 15	13,800	13,800	0	0	0	0	0	0	0	2,120	10.5
2	30	27,200	6 + 24	5,700	21,500	0	0	0	0	0	0	2,800	13.9	12.6
		27,600	6 + 24	5,800	21,800	0	0	0	0	0	0	0	2,120	10.5
2	33	27,200	9 + 24	7,800	19,400	0	0	0	0	0	0	2,760	13.7	12.4
		27,600	9 + 24	7,900	19,700	0	0	0	0	0	0	0	2,080	10.3
2	33	27,200	15 + 18	12,200	15,000	0	0	0	0	0	0	2,760	13.7	12.4
		27,600	15 + 18	12,500	15,100	0	0	0	0	0	0	0	2,080	10.3
2	36	27,200	18 + 18	13,600	13,600	0	0	0	0	0	0	2,720	13.5	12.2
		27,600	18 + 18	13,800	13,800	0	0	0	0	0	0	0	2,040	10.1
2	36	27,200	12 + 24	9,500	17,700	0	0	0	0	0	0	2,720	13.5	12.2
		27,600	12 + 24	9,500	18,100	0	0	0	0	0	0	0	2,040	10.1
3	18	18,000	6 + 6 + 6	9,000	9,000	0	0	0	0	0	0	1,320	6.4	5.8
		22,200	6 + 6 + 6	7,400	7,400	7,400	0	0	0	0	0	0	1,540	7.5
3	21	21,000	6 + 6 + 9	6,000	6,000	9,000	0	0	0	0	0	1,560	7.6	6.9
		25,800	6 + 6 + 9	7,400	7,400	11,000	0	0	0	0	0	0	1,780	8.6
3	24	24,000	6 + 6 + 12	6,000	6,000	12,000	0	0	0	0	0	1,960	9.5	8.6
		28,400	6 + 6 + 12	7,200	7,200	14,000	0	0	0	0	0	0	1,920	9.3
3	24	24,000	6 + 9 + 9	6,000	9,000	9,000	0	0	0	0	0	1,960	9.5	8.6
		28,400	6 + 9 + 9	7,100	10,600	10,600	0	0	0	0	0	0	1,920	9.3
3	27	26,000	6 + 6 + 15	6,000	6,000	14,000	0	0	0	0	0	2,310	11.2	10.1
		28,400	6 + 6 + 15	6,400	6,400	15,600	0	0	0	0	0	0	2,020	9.8
3	27	26,000	6 + 9 + 12	5,800	8,700	11,600	0	0	0	0	0	2,310	11.2	10.1
		28,400	6 + 9 + 12	6,400	9,500	12,500	0	0	0	0	0	0	2,020	9.8
3	27	26,000	9 + 9 + 9	8,700	8,700	8,700	0	0	0	0	0	2,310	11.2	10.1
		28,400	9 + 9 + 9	9,500	9,500	9,500	0	0	0	0	0	0	2,020	9.8
3	30	28,400	6 + 6 + 18	5,800	5,800	16,700	0	0	0	0	0	2,620	12.7	11.5
		28,600	6 + 6 + 18	5,800	5,800	17,000	0	0	0	0	0	0	2,090	10.2
3	30	28,400	6 + 9 + 15	5,900	8,800	13,700	0	0	0	0	0	2,620	12.7	11.5
		28,600	6 + 9 + 15	5,800	8,600	14,100	0	0	0	0	0	0	2,090	10.2
3	30	28,400	6 + 12 + 12	5,700	11,400	11,400	0	0	0	0	0	2,620	12.7	11.5
		28,600	6 + 12 + 12	5,800	11,400	11,400	0	0	0	0	0	0	2,090	10.2

# STANDARD MODELS

## MXZ-3C30NA2/MXZ-3C30NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.,

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
3	30	28,400	9 + 9 + 12	8,500	8,500	11,400	0	0	0	0	0	2,620	12.7	11.5
		28,600	9 + 9 + 12	8,600	8,600	11,300	0	0	0	0	0	2,090	10.2	9.2
3	33	29,600	6 + 9 + 18	5,500	8,300	15,800	0	0	0	0	0	2,860	13.9	12.6
		29,600	6 + 9 + 18	5,500	8,100	16,000	0	0	0	0	0	2,280	11.1	10.0
3	33	29,600	6 + 12 + 15	5,600	11,100	13,000	0	0	0	0	0	2,860	13.9	12.6
		29,600	6 + 12 + 15	5,500	10,700	13,400	0	0	0	0	0	2,280	11.1	10.0
3	33	29,600	9 + 9 + 15	8,300	8,300	13,000	0	0	0	0	0	2,860	13.9	12.6
		29,600	9 + 9 + 15	8,100	8,100	13,300	0	0	0	0	0	2,280	11.1	10.0
3	33	29,600	9 + 12 + 12	8,100	10,800	10,800	0	0	0	0	0	2,860	13.9	12.6
		29,600	9 + 12 + 12	8,200	10,700	10,700	0	0	0	0	0	2,280	11.1	10.0
3	36	30,000	6 + 6 + 24	5,200	5,200	19,600	0	0	0	0	0	2,900	14.1	12.7
		30,000	6 + 6 + 24	5,200	5,200	19,500	0	0	0	0	0	2,340	11.4	10.3
3	36	30,000	6 + 12 + 18	5,100	10,200	14,700	0	0	0	0	0	2,900	14.1	12.7
		30,000	6 + 12 + 18	5,100	10,000	14,900	0	0	0	0	0	2,340	11.4	10.3
3	36	30,000	12 + 12 + 12	10,000	10,000	10,000	0	0	0	0	0	2,900	14.1	12.7
		30,000	12 + 12 + 12	10,000	10,000	10,000	0	0	0	0	0	2,340	11.4	10.3
3	36	30,000	6 + 15 + 15	5,300	12,400	12,400	0	0	0	0	0	2,900	14.1	12.7
		30,000	6 + 15 + 15	5,100	12,400	12,400	0	0	0	0	0	2,340	11.4	10.3
3	36	30,000	9 + 9 + 18	7,700	7,700	14,700	0	0	0	0	0	2,900	14.1	12.7
		30,000	9 + 9 + 18	7,600	7,600	14,900	0	0	0	0	0	2,340	11.4	10.3
3	36	30,000	9 + 12 + 15	7,700	10,300	12,000	0	0	0	0	0	2,900	14.1	12.7
		30,000	9 + 12 + 15	7,600	10,000	12,400	0	0	0	0	0	2,340	11.4	10.3



# STANDARD MODELS

## MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	940	4.8	4.3
		10,900	9	10,900	0	0	0	0	0	0	0	960	4.9	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,070	5.4	4.9
		13,600	12	13,600	0	0	0	0	0	0	0	1,220	6.2	5.6
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,370	6.9	6.3
		18,000	15	18,000	0	0	0	0	0	0	0	1,560	7.9	7.1
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,770	9.0	8.1
		21,600	18	21,600	0	0	0	0	0	0	0	2,010	10.2	9.2
1	24	24,000	24	24,000	0	0	0	0	0	0	0	2,360	11.9	10.8
		26,000	24	26,000	0	0	0	0	0	0	0	2,710	13.7	12.4
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,750	8.7	7.8
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,750	8.7	7.8
2	21	21,000	9 + 12	9,000	12,000	0	0	0	0	0	0	2,040	10.1	9.1
		24,500	9 + 12	10,900	13,600	0	0	0	0	0	0	1,980	9.8	8.9
2	24	24,000	9 + 15	9,000	15,000	0	0	0	0	0	0	2,300	11.4	10.3
		27,200	9 + 15	10,300	16,900	0	0	0	0	0	0	2,150	10.7	9.6
2	24	24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,300	11.4	10.3
		27,200	12 + 12	13,600	13,600	0	0	0	0	0	0	2,350	10.7	9.6
2	27	26,200	9 + 18	9,000	17,200	0	0	0	0	0	0	2,560	12.7	11.5
		28,000	9 + 18	9,400	18,600	0	0	0	0	0	0	2,350	11.7	10.5
2	27	26,200	12 + 15	11,600	14,600	0	0	0	0	0	0	2,560	12.7	11.5
		28,000	12 + 15	12,100	15,900	0	0	0	0	0	0	2,350	11.7	10.5
2	30	28,000	12 + 18	11,500	16,500	0	0	0	0	0	0	2,880	14.3	12.9
		28,000	12 + 18	10,800	17,200	0	0	0	0	0	0	2,320	11.5	10.4
2	30	28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,880	14.3	12.9
		28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,320	11.5	10.4
2	33	28,000	9 + 24	7,600	20,400	0	0	0	0	0	0	2,860	14.2	12.8
		28,000	9 + 24	8,300	19,700	0	0	0	0	0	0	2,290	11.4	10.3
2	33	28,000	15 + 18	13,000	15,000	0	0	0	0	0	0	2,860	14.2	12.8
		28,000	15 + 18	12,700	15,300	0	0	0	0	0	0	2,290	11.4	10.3
2	36	28,000	12 + 24	9,300	18,700	0	0	0	0	0	0	2,840	14.1	12.7
		28,000	12 + 24	9,600	18,400	0	0	0	0	0	0	2,260	11.2	10.1
2	36	28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,840	14.1	12.7
		28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,260	11.2	10.1
3	27	27,000	9 + 9 + 9	9,000	9,000	9,000	0	0	0	0	0	2,410	11.9	10.8
		32,700	9 + 9 + 9	10,900	10,900	10,900	0	0	0	0	0	2,480	12.3	11.1
3	30	30,000	9 + 9 + 12	9,000	9,000	12,000	0	0	0	0	0	2,920	14.5	13.1
		32,700	9 + 9 + 12	10,100	10,100	12,600	0	0	0	0	0	2,440	12.1	10.9
3	33	32,000	9 + 9 + 15	8,700	8,700	14,500	0	0	0	0	0	3,080	15.3	13.8
		32,700	9 + 9 + 15	9,000	9,000	14,800	0	0	0	0	0	2,400	11.9	10.8
3	33	32,000	9 + 12 + 12	8,700	11,600	11,600	0	0	0	0	0	3,080	15.3	13.8
		32,700	9 + 12 + 12	9,400	11,700	11,700	0	0	0	0	0	2,400	11.9	10.8
3	36	32,000	9 + 9 + 18	8,200	8,200	15,600	0	0	0	0	0	3,250	16.1	14.6
		32,700	9 + 9 + 18	8,200	8,200	16,300	0	0	0	0	0	2,360	11.7	10.6
3	36	32,000	9 + 12 + 15	8,000	10,700	13,300	0	0	0	0	0	3,250	16.1	14.6
		32,700	9 + 12 + 15	8,400	10,500	13,800	0	0	0	0	0	2,360	11.7	10.6
3	36	32,000	12 + 12 + 12	10,700	10,700	10,700	0	0	0	0	0	3,250	16.1	14.6
		32,700	12 + 12 + 12	10,900	10,900	10,900	0	0	0	0	0	2,360	11.7	10.6
3	39	32,000	9 + 12 + 18	7,500	10,100	14,400	0	0	0	0	0	3,210	15.9	14.4
		32,700	9 + 12 + 18	7,700	9,600	15,300	0	0	0	0	0	2,320	11.5	10.4
3	39	32,000	9 + 15 + 15	7,400	12,300	12,300	0	0	0	0	0	3,210	15.9	14.4
		32,700	9 + 15 + 15	7,600	12,600	12,600	0	0	0	0	0	2,320	11.5	10.4
3	39	32,000	12 + 12 + 15	9,800	9,800	12,300	0	0	0	0	0	3,210	15.9	14.4
		32,700	12 + 12 + 15	9,800	9,800	13,000	0	0	0	0	0	2,320	11.5	10.4
3	42	32,000	9 + 9 + 24	6,900	6,900	18,300	0	0	0	0	0	3,170	15.7	14.2
		32,700	9 + 9 + 24	7,500	7,500	17,800	0	0	0	0	0	2,280	11.3	10.2
3	42	32,000	9 + 15 + 18	7,000	11,700	13,400	0	0	0	0	0	3,170	15.7	14.2
		32,700	9 + 15 + 18	7,100	11,700	14,000	0	0	0	0	0	2,280	11.3	10.2
3	42	32,000	12 + 12 + 18	9,300	9,300	13,400	0	0	0	0	0	3,170	15.7	14.2
		32,700	12 + 12 + 18	9,100	9,100	14,500	0	0	0	0	0	2,280	11.3	10.2
3	42	32,000	12 + 15 + 15	9,100	11,400	11,400	0	0	0	0	0	3,170	15.7	14.2
		32,700	12 + 15 + 15	9,000	11,900	11,900	0	0	0	0	0	2,280	11.3	10.2
4	36	34,400	9 + 9 + 9 + 9	8,600	8,600	8,600	8,600	0	0	0	0	3,700	18.0	16.3
		34,400	9 + 9 + 9 + 9	8,600	8,600	8,600	8,600	0	0	0	0	2,860	13.9	12.6
4	39	34,800	9 + 9 + 9 + 12	8,000	8,000	8,000	10,700	0	0	0	0	3,700	18.0	16.3
		34,800	9 + 9 + 9 + 12	8,200	8,200	8,200	10,200	0	0	0	0	2,920	14.2	12.8
4	42	35,200	9 + 9 + 9 + 15	7,500	7,500	7,500	12,600	0	0	0	0	3,700	18.0	16.3
		35,200	9 + 9 + 9 + 15	7,600	7,600	7,600	12,500	0	0	0	0	2,940	14.3	12.9
4	42	35,200	9 + 9 + 12 + 12	7,500	7,500	10,100	10,100	0	0	0	0	3,700	18.0	16.3
		35,200	9 + 9 + 12 + 12	7,800	7,800	9,800	9,800	0	0	0	0	2,940	14.3	12.9

# STANDARD MODELS

## MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	870	4.4	4.0
		7,400	6	7,400	0	0	0	0	0	0	0	860	4.4	3.9
1	9	9,000	9	9,000	0	0	0	0	0	0	0	890	4.5	4.1
		11,000	9	11,000	0	0	0	0	0	0	0	950	4.8	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	980	5.0	4.5
		14,400	12	14,400	0	0	0	0	0	0	0	1,210	6.1	5.5
1	15	14,000	15	14,000	0	0	0	0	0	0	0	1,020	5.2	4.7
		18,000	15	18,000	0	0	0	0	0	0	0	1,600	8.1	7.3
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,440	7.3	6.6
		21,600	18	21,600	0	0	0	0	0	0	0	2,000	10.1	9.2
1	24	22,500	24	22,500	0	0	0	0	0	0	0	2,250	11.4	10.3
		27,600	24	27,600	0	0	0	0	0	0	0	2,640	13.4	12.1
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	960	4.8	4.3
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	1,020	5.1	4.6
2	15	15,000	6 + 9	6,000	9,000	0	0	0	0	0	0	1,000	5.0	4.5
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	1,300	6.4	5.8
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,420	7.0	6.4
		22,000	6 + 12	7,500	14,500	0	0	0	0	0	0	1,600	7.9	7.2
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,420	7.0	6.4
		22,000	9 + 9	11,000	11,000	0	0	0	0	0	0	1,600	7.9	7.2
2	21	20,000	6 + 15	6,000	14,000	0	0	0	0	0	0	1,760	8.7	7.9
		25,400	6 + 15	7,400	18,000	0	0	0	0	0	0	1,880	9.3	8.4
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,760	8.7	7.9
		25,400	9 + 12	11,000	14,400	0	0	0	0	0	0	1,880	9.3	8.4
2	24	23,000	6 + 18	5,900	17,100	0	0	0	0	0	0	2,100	10.4	9.4
		28,000	6 + 18	7,100	20,900	0	0	0	0	0	0	2,250	11.2	10.1
2	24	23,000	9 + 15	9,000	14,000	0	0	0	0	0	0	2,100	10.4	9.4
		28,000	9 + 15	10,600	17,400	0	0	0	0	0	0	2,250	11.2	10.1
2	24	23,000	12 + 12	11,500	11,500	0	0	0	0	0	0	2,100	10.4	9.4
		28,000	12 + 12	14,000	14,000	0	0	0	0	0	0	2,250	11.2	10.1
2	27	25,800	9 + 18	8,900	16,900	0	0	0	0	0	0	2,420	12.0	10.9
		28,000	9 + 18	9,400	18,600	0	0	0	0	0	0	2,230	11.1	10.0
2	27	25,800	12 + 15	11,900	13,900	0	0	0	0	0	0	2,420	12.0	10.9
		28,000	12 + 15	12,400	15,600	0	0	0	0	0	0	2,230	11.1	10.0
2	30	28,000	6 + 24	5,900	22,100	0	0	0	0	0	0	2,800	13.9	12.6
		28,000	6 + 24	5,900	22,100	0	0	0	0	0	0	2,210	11.0	9.9
2	30	28,000	12 + 18	11,500	16,500	0	0	0	0	0	0	2,800	13.9	12.6
		28,000	12 + 18	11,200	16,800	0	0	0	0	0	0	2,210	11.0	9.9
2	30	28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,800	13.9	12.6
		28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,210	10.9	9.9
2	33	28,000	9 + 24	8,000	20,000	0	0	0	0	0	0	2,760	13.7	12.4
		28,000	9 + 24	8,000	20,000	0	0	0	0	0	0	2,190	10.9	9.8
2	33	28,000	15 + 18	12,600	15,400	0	0	0	0	0	0	2,760	13.7	12.4
		28,000	15 + 18	12,700	15,300	0	0	0	0	0	0	2,190	10.9	9.8
2	36	28,000	12 + 24	9,700	18,300	0	0	0	0	0	0	2,720	13.7	12.2
		28,000	12 + 24	9,600	18,400	0	0	0	0	0	0	2,170	10.8	9.7
2	36	28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,720	13.7	12.2
		28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,170	10.8	9.7
3	18	18,000	6 + 6 + 6	6,000	6,000	6,000	0	0	0	0	0	1,320	6.5	5.9
		22,200	6 + 6 + 6	7,400	7,400	7,400	0	0	0	0	0	1,540	7.6	6.9
3	21	21,000	6 + 6 + 9	6,000	6,000	9,000	0	0	0	0	0	1,560	7.7	7.0
		25,800	6 + 6 + 9	7,400	7,400	11,000	0	0	0	0	0	1,780	8.8	8.0
3	24	24,000	6 + 6 + 12	6,000	6,000	12,000	0	0	0	0	0	1,960	9.7	8.8
		29,200	6 + 6 + 12	7,400	7,400	14,400	0	0	0	0	0	2,180	10.8	9.8
3	24	24,000	6 + 9 + 9	6,000	9,000	9,000	0	0	0	0	0	1,940	9.7	8.8
		29,200	6 + 9 + 9	7,300	10,900	10,900	0	0	0	0	0	2,180	10.8	9.8
3	27	26,000	6 + 6 + 15	6,000	6,000	14,000	0	0	0	0	0	2,310	11.5	10.4
		32,800	6 + 6 + 15	7,400	7,400	18,000	0	0	0	0	0	2,340	11.6	10.5
3	27	26,000	6 + 9 + 12	5,800	8,700	11,600	0	0	0	0	0	2,310	11.5	10.4
		32,800	6 + 9 + 12	7,400	11,000	14,400	0	0	0	0	0	2,340	11.6	10.5
3	27	26,000	9 + 9 + 9	8,700	8,700	8,700	0	0	0	0	0	2,310	11.5	10.4
		32,800	9 + 9 + 9	10,900	10,900	10,900	0	0	0	0	0	2,340	11.6	10.5
3	30	28,400	6 + 6 + 18	5,800	5,800	16,700	0	0	0	0	0	2,620	13.0	11.7
		32,800	6 + 6 + 18	6,700	6,700	19,500	0	0	0	0	0	2,300	11.4	10.3
3	30	28,400	6 + 9 + 15	5,900	8,800	13,700	0	0	0	0	0	2,620	13.0	11.7
		32,800	6 + 9 + 15	6,700	9,900	16,200	0	0	0	0	0	2,300	11.4	10.3
3	30	28,400	6 + 12 + 12	5,700	11,400	11,400	0	0	0	0	0	2,620	13.0	11.7
		32,800	6 + 12 + 12	6,700	13,000	13,000	0	0	0	0	0	2,300	11.4	10.3

# STANDARD MODELS

## MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
3	30	28,400	9 + 9 + 12	8,500	8,500	11,400	0	0	0	0	0	2,620	13.0	11.7
		32,800	9 + 9 + 12	9,900	9,900	13,000	0	0	0	0	0	2,300	11.4	10.3
3	33	32,000	6 + 9 + 18	6,000	8,900	17,100	0	0	0	0	0	2,860	14.2	12.8
		32,800	6 + 9 + 18	6,100	9,000	17,700	0	0	0	0	0	2,260	11.2	10.1
3	33	32,000	6 + 12 + 15	6,000	12,000	14,000	0	0	0	0	0	2,860	14.2	12.8
		32,800	6 + 12 + 15	6,100	11,900	14,800	0	0	0	0	0	2,260	11.2	10.1
3	33	32,000	9 + 9 + 15	9,000	9,000	14,000	0	0	0	0	0	2,860	14.2	12.8
		32,800	9 + 9 + 15	9,000	9,000	14,800	0	0	0	0	0	2,260	11.2	10.1
3	33	32,000	9 + 12 + 12	8,700	11,600	11,600	0	0	0	0	0	2,860	14.2	12.8
		32,800	9 + 12 + 12	9,100	11,900	11,900	0	0	0	0	0	2,260	11.2	10.1
3	36	32,000	6 + 6 + 24	5,600	5,600	20,900	0	0	0	0	0	2,970	14.7	13.3
		32,800	6 + 6 + 24	5,700	5,700	21,400	0	0	0	0	0	2,240	11.1	10.0
3	36	32,000	6 + 12 + 18	5,500	10,900	15,600	0	0	0	0	0	2,790	14.7	13.3
		32,800	6 + 12 + 18	5,600	10,900	16,300	0	0	0	0	0	2,240	11.1	10.0
3	36	32,000	6 + 15 + 15	5,600	13,200	13,200	0	0	0	0	0	2,970	14.7	13.3
		32,800	6 + 15 + 15	5,600	13,600	13,600	0	0	0	0	0	2,240	11.1	10.0
3	36	32,000	9 + 9 + 18	8,200	8,200	15,600	0	0	0	0	0	2,970	14.7	13.3
		32,800	9 + 9 + 18	8,300	8,300	16,200	0	0	0	0	0	2,240	11.1	10.0
3	36	32,000	9 + 12 + 15	8,200	11,000	12,800	0	0	0	0	0	2,970	14.7	13.3
		32,800	9 + 12 + 15	8,300	10,900	13,600	0	0	0	0	0	2,240	11.1	10.0
3	36	32,000	12 + 12 + 12	10,700	10,700	10,700	0	0	0	0	0	2,970	14.7	13.3
		32,800	12 + 12 + 12	10,900	10,900	10,900	0	0	0	0	0	2,240	11.1	10.0
3	39	32,000	6 + 9 + 24	5,100	7,700	19,200	0	0	0	0	0	3,070	15.2	13.8
		32,800	6 + 9 + 24	5,300	7,800	19,700	0	0	0	0	0	2,200	10.9	9.9
3	39	32,000	6 + 15 + 18	5,200	12,000	14,800	0	0	0	0	0	3,070	15.2	13.8
		32,800	6 + 15 + 18	5,200	12,600	15,100	0	0	0	0	0	2,200	10.9	9.9
3	39	32,000	9 + 12 + 18	7,500	10,100	14,400	0	0	0	0	0	3,070	15.2	13.8
		32,800	9 + 12 + 18	7,700	10,000	15,100	0	0	0	0	0	2,200	10.9	9.9
3	39	32,000	9 + 15 + 15	7,800	12,100	12,100	0	0	0	0	0	3,070	15.2	13.8
		32,800	9 + 15 + 15	7,700	12,600	12,600	0	0	0	0	0	2,200	10.9	9.9
3	39	32,000	12 + 12 + 15	10,100	10,100	11,800	0	0	0	0	0	3,070	15.2	13.8
		32,800	12 + 12 + 15	10,100	10,100	12,600	0	0	0	0	0	2,200	10.9	9.9
3	42	32,000	6 + 12 + 24	4,700	9,500	17,800	0	0	0	0	0	3,030	15.0	13.6
		32,800	6 + 12 + 24	4,900	9,600	18,300	0	0	0	0	0	2,160	10.7	9.7
3	42	32,000	6 + 18 + 18	4,800	13,600	13,600	0	0	0	0	0	3,030	15.0	13.6
		32,800	6 + 18 + 18	4,800	14,000	14,000	0	0	0	0	0	2,160	10.7	9.7
3	42	32,000	9 + 9 + 24	7,100	7,100	17,800	0	0	0	0	0	3,030	15.2	13.6
		32,800	9 + 9 + 24	7,300	7,300	18,300	0	0	0	0	0	2,160	10.7	9.7
3	42	32,000	9 + 15 + 18	7,200	11,100	13,700	0	0	0	0	0	3,030	15.0	13.6
		32,800	9 + 15 + 18	7,100	11,700	14,000	0	0	0	0	0	2,160	10.7	9.7
3	42	32,000	12 + 12 + 18	9,300	9,300	13,400	0	0	0	0	0	3,030	15.0	13.6
		32,800	12 + 12 + 18	9,400	9,400	14,100	0	0	0	0	0	2,160	10.7	9.7
3	42	32,000	12 + 15 + 15	9,600	11,200	11,200	0	0	0	0	0	3,030	15.0	13.6
		32,800	12 + 15 + 15	9,400	11,700	11,700	0	0	0	0	0	2,160	10.7	9.7
4	24	24,000	6 + 6 + 6 + 6	6,000	6,000	6,000	6,000	0	0	0	0	1,940	9.4	8.5
		29,600	6 + 6 + 6 + 6	7,400	7,400	7,400	7,400	0	0	0	0	2,240	10.9	9.8
4	27	27,000	6 + 6 + 6 + 9	6,000	6,000	6,000	9,000	0	0	0	0	2,300	11.2	10.1
		33,200	6 + 6 + 6 + 9	7,400	7,400	7,400	11,000	0	0	0	0	2,440	11.9	10.7
4	30	30,000	6 + 6 + 6 + 12	6,000	6,000	6,000	12,000	0	0	0	0	2,790	13.6	12.3
		35,800	6 + 6 + 6 + 12	7,200	7,200	7,200	14,100	0	0	0	0	2,600	12.6	11.4
4	30	30,000	6 + 6 + 9 + 9	6,000	6,000	9,000	9,000	0	0	0	0	2,790	13.6	12.3
		35,800	6 + 6 + 9 + 9	7,200	7,200	10,700	10,700	0	0	0	0	2,600	12.6	11.4
4	33	32,000	6 + 6 + 6 + 15	6,000	6,000	6,000	14,000	0	0	0	0	3,210	15.6	14.1
		35,800	6 + 6 + 6 + 15	6,600	6,600	6,600	16,000	0	0	0	0	2,860	13.9	12.6
4	33	32,000	6 + 6 + 9 + 12	5,800	5,800	8,700	11,600	0	0	0	0	3,210	15.6	14.1
		35,800	6 + 6 + 9 + 12	6,600	6,600	9,800	12,800	0	0	0	0	2,860	13.9	12.6
4	33	32,000	6 + 9 + 9 + 9	5,800	8,700	8,700	8,700	0	0	0	0	3,210	15.6	14.1
		35,800	6 + 9 + 9 + 9	6,600	9,700	9,700	9,700	0	0	0	0	2,860	13.9	12.6
4	36	32,000	6 + 6 + 6 + 18	5,500	5,500	5,500	15,600	0	0	0	0	3,680	17.9	16.2
		32,800	6 + 6 + 6 + 18	5,500	5,500	5,500	16,200	0	0	0	0	2,940	14.3	12.9
4	36	35,400	6 + 6 + 9 + 15	6,100	6,100	9,100	14,200	0	0	0	0	3,680	17.9	16.2
		36,000	6 + 6 + 9 + 15	6,100	6,100	9,000	14,800	0	0	0	0	2,940	14.3	12.9
4	36	35,400	6 + 6 + 12 + 12	5,900	5,900	11,800	11,800	0	0	0	0	3,680	17.9	16.2
		36,000	6 + 6 + 12 + 12	6,100	6,100	11,900	11,900	0	0	0	0	2,940	14.3	12.9
4	36	35,400	6 + 9 + 9 + 12	5,900	8,900	8,900	11,800	0	0	0	0	3,680	17.9	16.2
		36,000	6 + 9 + 9 + 12	6,100	9,000	9,000	11,800	0	0	0	0	2,940	14.3	12.9
4	36	35,400	9 + 9 + 9 + 9	8,900	8,900	8,900	8,900	0	0	0	0	3,680	17.9	16.2
		36,000	9 + 9 + 9 + 9	9,000	9,000	9,000	9,000	0	0	0	0	2,940	14.3	12.9

# STANDARD MODELS

## MXZ-4C36NA2/MXZ-4C36NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
4	39	36,000	6 + 6 + 9 + 18	5,700	5,700	8,500	16,200	0	0	0	0	3,720	18.1	16.3
		36,000	6 + 6 + 9 + 18	5,600	5,600	8,400	16,400	0	0	0	0	2,910	14.1	12.8
4	39	36,000	6 + 6 + 12 + 15	5,700	5,700	11,400	13,300	0	0	0	0	3,720	18.1	16.3
		36,000	6 + 6 + 12 + 15	5,600	5,600	11,000	13,700	0	0	0	0	2,910	14.1	12.8
4	39	36,000	6 + 9 + 9 + 15	5,700	8,500	8,500	13,300	0	0	0	0	3,720	18.1	16.3
		36,000	6 + 9 + 9 + 15	5,600	8,400	8,400	13,700	0	0	0	0	2,910	14.1	12.8
4	39	36,000	6 + 9 + 12 + 12	5,500	8,300	11,100	11,100	0	0	0	0	3,720	18.1	16.3
		36,000	6 + 9 + 12 + 12	5,600	8,400	11,000	11,000	0	0	0	0	2,910	14.1	12.8
4	39	36,000	9 + 9 + 9 + 12	8,300	8,300	8,300	11,100	0	0	0	0	3,720	18.1	16.3
		36,000	9 + 9 + 9 + 12	8,400	8,400	8,400	10,900	0	0	0	0	2,910	14.1	12.8
4	42	32,000	6 + 6 + 6 + 24	4,700	4,700	4,700	17,800	0	0	0	0	3,700	18.0	16.3
		32,800	6 + 6 + 6 + 24	4,900	4,900	4,900	18,200	0	0	0	0	2,880	14.0	12.7
4	42	36,000	6 + 6 + 12 + 18	5,200	5,200	10,500	15,000	0	0	0	0	3,700	18.0	16.3
		36,000	6 + 6 + 12 + 18	5,200	5,200	10,200	15,300	0	0	0	0	2,880	14.0	12.7
4	42	36,000	6 + 6 + 15 + 15	5,400	5,400	12,600	12,600	0	0	0	0	3,700	18.0	16.3
		36,000	6 + 6 + 15 + 15	5,200	5,200	12,800	12,800	0	0	0	0	2,880	14.0	12.7
4	42	36,000	6 + 9 + 9 + 18	5,200	7,900	7,900	15,000	0	0	0	0	3,700	18.0	16.3
		36,000	6 + 9 + 9 + 18	5,200	7,800	7,800	15,200	0	0	0	0	2,880	14.0	12.7
4	42	36,000	6 + 9 + 12 + 15	5,300	7,900	10,500	12,300	0	0	0	0	3,700	18.0	16.3
		36,000	6 + 9 + 12 + 15	5,200	7,800	10,200	12,800	0	0	0	0	2,880	14.0	12.7
4	42	36,000	6 + 12 + 12 + 12	5,100	10,300	10,300	10,300	0	0	0	0	3,700	18.0	16.3
		36,000	6 + 12 + 12 + 12	5,300	10,200	10,200	10,200	0	0	0	0	2,880	14.0	12.7
4	42	36,000	9 + 9 + 9 + 15	7,900	7,900	7,900	12,300	0	0	0	0	3,700	18.0	16.3
		36,000	9 + 9 + 9 + 15	7,800	7,800	7,800	12,700	0	0	0	0	2,880	14.0	12.7
4	42	36,000	9 + 9 + 12 + 12	7,700	7,700	10,300	10,300	0	0	0	0	3,700	18.0	16.3
		36,000	9 + 9 + 12 + 12	7,800	7,800	10,200	10,200	0	0	0	0	2,880	14.0	12.7

# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	980	5.0	4.5
		10,900	9	10,900	0	0	0	0	0	0	0	1,000	5.1	4.6
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,150	5.8	5.6
		13,600	12	13,600	0	0	0	0	0	0	0	1,260	6.4	5.8
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,450	7.3	6.6
		18,000	15	18,000	0	0	0	0	0	0	0	1,650	8.4	7.6
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,850	9.4	8.5
		21,600	18	21,600	0	0	0	0	0	0	0	2,050	10.4	9.4
1	24	24,000	24	24,000	0	0	0	0	0	0	0	2,400	12.2	11.0
		26,000	24	26,000	0	0	0	0	0	0	0	2,710	13.7	12.4
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,820	9.0	8.2
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,820	9.0	8.2
2	21	21,000	9 + 12	9,000	12,000	0	0	0	0	0	0	2,000	9.9	9.0
		24,500	9 + 12	10,900	13,600	0	0	0	0	0	0	2,000	9.9	9.0
2	24	24,000	9 + 15	9,000	15,000	0	0	0	0	0	0	2,300	11.4	10.3
		27,200	9 + 15	10,300	16,900	0	0	0	0	0	0	2,360	11.7	10.6
2	24	24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,300	11.4	10.3
		27,200	12 + 12	13,600	13,600	0	0	0	0	0	0	2,360	11.7	10.6
2	27	26,200	9 + 18	9,000	17,200	0	0	0	0	0	0	2,550	12.6	11.4
		28,000	9 + 18	9,400	18,600	0	0	0	0	0	0	2,360	11.7	10.6
2	27	26,200	12 + 15	11,600	14,600	0	0	0	0	0	0	2,550	12.6	11.4
		28,000	12 + 15	12,100	15,900	0	0	0	0	0	0	2,360	11.7	10.6
2	30	28,000	12 + 18	11,500	16,500	0	0	0	0	0	0	2,850	14.1	12.8
		28,000	12 + 18	10,800	17,200	0	0	0	0	0	0	2,360	11.7	10.6
2	30	28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,850	14.1	12.8
		28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,360	11.7	10.6
2	33	28,000	9 + 24	7,600	20,400	0	0	0	0	0	0	2,850	14.1	12.8
		28,000	9 + 24	8,300	19,700	0	0	0	0	0	0	2,360	11.7	10.6
2	33	28,000	15 + 18	13,000	15,000	0	0	0	0	0	0	2,850	14.1	12.8
		28,000	15 + 18	12,700	15,300	0	0	0	0	0	0	2,360	11.7	10.6
2	36	28,000	12 + 24	9,300	18,700	0	0	0	0	0	0	2,850	14.1	12.8
		28,000	12 + 24	9,600	18,400	0	0	0	0	0	0	2,360	11.7	10.6
2	36	28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,850	14.1	12.8
		28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,360	11.7	10.6
2	39	28,000	15 + 24	10,800	17,200	0	0	0	0	0	0	2,800	13.9	12.6
		29,000	15 + 24	11,900	17,100	0	0	0	0	0	0	2,400	11.9	10.8
2	42	28,000	18 + 24	11,700	16,300	0	0	0	0	0	0	2,840	14.1	12.7
		29,000	18 + 24	13,200	15,800	0	0	0	0	0	0	2,420	11.9	10.8
2	48	28,000	24 + 24	14,000	14,000	0	0	0	0	0	0	2,850	14.1	12.8
		30,000	24 + 24	15,000	15,000	0	0	0	0	0	0	2,380	11.8	10.7
3	27	27,000	9 + 9 + 9	9,000	9,000	9,000	0	0	0	0	0	2,360	11.7	10.6
		32,700	9 + 9 + 9	10,900	10,900	10,900	0	0	0	0	0	2,590	12.8	11.6
3	30	30,000	9 + 9 + 12	9,000	9,000	12,000	0	0	0	0	0	2,600	12.9	11.7
		32,700	9 + 9 + 12	10,100	10,100	12,600	0	0	0	0	0	2,570	12.7	11.5
3	33	32,000	9 + 9 + 15	8,700	8,700	14,500	0	0	0	0	0	2,800	13.9	12.6
		32,700	9 + 9 + 15	9,000	9,000	14,800	0	0	0	0	0	2,550	12.6	11.4
3	33	32,000	9 + 12 + 12	8,700	11,600	11,600	0	0	0	0	0	2,800	13.9	12.6
		32,700	9 + 12 + 12	9,400	11,700	11,700	0	0	0	0	0	2,550	12.6	11.4
3	36	32,000	9 + 9 + 18	8,200	8,200	15,600	0	0	0	0	0	2,780	13.8	12.5
		32,700	9 + 9 + 18	8,200	8,200	16,300	0	0	0	0	0	2,530	12.5	11.3
3	36	32,000	9 + 12 + 15	8,000	10,700	13,300	0	0	0	0	0	2,780	13.8	12.5
		32,700	9 + 12 + 15	8,400	10,500	13,800	0	0	0	0	0	2,530	12.5	11.3
3	36	32,000	12 + 12 + 12	10,700	10,700	10,700	0	0	0	0	0	2,780	13.8	12.5
		32,700	12 + 12 + 12	10,900	10,900	10,900	0	0	0	0	0	2,530	12.5	11.3
3	39	32,000	9 + 12 + 18	7,500	10,100	14,400	0	0	0	0	0	2,760	13.7	15.4
		32,700	9 + 12 + 18	7,700	9,600	15,300	0	0	0	0	0	2,510	12.4	11.3
3	39	32,000	9 + 15 + 15	7,400	12,300	12,300	0	0	0	0	0	2,760	13.7	15.4
		32,700	9 + 15 + 15	7,600	12,600	12,600	0	0	0	0	0	2,510	12.4	11.3
3	39	32,000	12 + 12 + 15	9,800	9,800	12,300	0	0	0	0	0	2,760	13.7	15.4
		32,700	12 + 12 + 15	9,800	9,800	13,000	0	0	0	0	0	2,510	12.4	11.3
3	42	32,000	9 + 9 + 24	6,900	6,900	18,300	0	0	0	0	0	2,740	13.6	12.3
		32,700	9 + 9 + 24	7,500	7,500	17,800	0	0	0	0	0	2,490	12.3	11.2
3	42	32,000	9 + 15 + 18	7,000	11,700	13,400	0	0	0	0	0	2,740	13.6	12.3
		32,700	9 + 15 + 18	7,100	11,700	14,000	0	0	0	0	0	2,490	12.3	11.2
3	42	32,000	12 + 12 + 18	9,300	9,300	13,400	0	0	0	0	0	2,740	13.6	12.3
		32,700	12 + 12 + 18	9,100	9,100	14,500	0	0	0	0	0	2,490	12.3	11.2

# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
3	42	32,000	12 + 15 + 15	9,100	11,400	11,400	0	0	0	0	0	2,740	13.6	12.3
		32,700	12 + 15 + 15	9,000	11,900	11,900	0	0	0	0	0	2,490	12.3	11.2
3	45	32,000	9 + 12 + 24	6,400	8,500	17,100	0	0	0	0	0	2,720	13.5	12.2
		32,700	9 + 12 + 24	7,100	8,800	16,800	0	0	0	0	0	2,470	12.2	11.1
3	45	32,000	9 + 18 + 18	6,600	12,700	12,700	0	0	0	0	0	2,720	13.5	12.2
		32,700	9 + 18 + 18	6,600	13,100	13,100	0	0	0	0	0	2,470	12.2	11.1
3	45	32,000	12 + 15 + 18	8,700	10,900	12,500	0	0	0	0	0	2,720	13.5	12.2
		32,700	12 + 15 + 18	8,400	11,100	13,300	0	0	0	0	0	2,470	12.2	11.1
3	45	32,000	15 + 15 + 15	10,700	10,700	10,700	0	0	0	0	0	2,720	13.5	12.2
		32,700	15 + 15 + 15	10,900	10,900	10,900	0	0	0	0	0	2,470	12.2	11.1
3	48	32,000	9 + 15 + 24	6,000	10,000	16,000	0	0	0	0	0	2,700	13.4	12.1
		32,700	9 + 15 + 24	6,500	10,700	15,500	0	0	0	0	0	2,450	12.1	11.0
3	48	32,000	12 + 12 + 24	8,000	8,000	16,000	0	0	0	0	0	2,700	13.4	12.1
		32,700	12 + 12 + 24	8,400	8,400	16,000	0	0	0	0	0	2,450	12.1	11.0
3	48	32,000	12 + 18 + 18	8,300	11,900	11,900	0	0	0	0	0	2,700	13.4	12.1
		32,700	12 + 18 + 18	7,800	12,400	12,400	0	0	0	0	0	2,450	12.1	11.0
3	48	32,000	15 + 15 + 18	10,200	10,200	11,700	0	0	0	0	0	2,700	13.4	12.1
		32,700	15 + 15 + 18	10,200	10,200	12,300	0	0	0	0	0	2,450	12.1	11.0
3	51	32,000	9 + 18 + 24	5,700	11,000	15,300	0	0	0	0	0	2,680	13.3	12.0
		32,700	9 + 18 + 24	6,100	12,100	14,500	0	0	0	0	0	2,430	12.0	10.9
3	51	32,000	12 + 15 + 24	7,500	9,400	15,100	0	0	0	0	0	2,680	13.3	12.0
		32,700	12 + 15 + 24	7,700	10,200	14,800	0	0	0	0	0	2,430	12.0	10.9
3	51	32,000	15 + 18 + 18	9,700	11,100	11,100	0	0	0	0	0	2,680	13.3	12.0
		32,700	15 + 18 + 18	9,600	11,500	11,500	0	0	0	0	0	2,430	12.0	10.9
4	36	34,400	9 + 9 + 9 + 9	8,600	8,600	8,600	8,600	0	0	0	0	3,160	15.4	13.9
		34,400	9 + 9 + 9 + 9	8,600	8,600	8,600	8,600	0	0	0	0	2,820	13.7	12.4
4	39	34,800	9 + 9 + 9 + 12	8,000	8,000	8,000	10,700	0	0	0	0	3,250	15.8	13.9
		34,800	9 + 9 + 9 + 12	8,200	8,200	8,200	10,200	0	0	0	0	2,850	13.8	12.5
4	42	35,800	9 + 9 + 9 + 15	7,700	7,700	7,700	12,800	0	0	0	0	3,300	16.0	14.3
		35,800	9 + 9 + 9 + 15	7,700	7,700	7,700	12,700	0	0	0	0	2,980	14.5	13.1
4	42	35,800	9 + 9 + 12 + 12	7,700	7,700	10,200	10,200	0	0	0	0	3,300	16.0	14.3
		35,800	9 + 9 + 12 + 12	8,000	8,000	9,900	9,900	0	0	0	0	2,980	14.5	13.1
4	45	35,800	9 + 9 + 9 + 18	7,300	7,300	7,300	13,900	0	0	0	0	3,300	16.0	14.5
		35,800	9 + 9 + 9 + 18	7,200	7,200	7,200	14,200	0	0	0	0	2,980	14.5	13.1
4	45	35,800	9 + 9 + 12 + 15	7,200	7,200	9,500	11,900	0	0	0	0	3,300	16.0	14.5
		35,800	9 + 9 + 12 + 15	7,300	7,300	9,100	12,100	0	0	0	0	2,980	14.5	13.1
4	45	35,800	9 + 12 + 12 + 12	7,200	9,500	9,500	9,500	0	0	0	0	3,300	16.0	14.5
		35,800	9 + 12 + 12 + 12	7,500	9,400	9,400	9,400	0	0	0	0	2,980	14.5	13.1
4	48	37,200	9 + 9 + 12 + 18	7,100	7,100	9,500	13,600	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 9 + 12 + 18	7,100	7,100	8,900	14,100	0	0	0	0	3,110	15.1	13.7
4	48	37,200	9 + 9 + 15 + 15	7,000	7,000	11,600	11,600	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 9 + 15 + 15	7,000	7,000	11,600	11,600	0	0	0	0	3,110	15.1	13.7
4	48	37,200	9 + 12 + 12 + 15	7,000	9,300	9,300	11,600	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 12 + 12 + 15	7,200	9,000	9,000	11,900	0	0	0	0	3,110	15.1	13.7
4	48	37,200	12 + 12 + 12 + 12	9,300	9,300	9,300	9,300	0	0	0	0	3,300	16.0	14.5
		37,200	12 + 12 + 12 + 12	9,300	9,300	9,300	9,300	0	0	0	0	3,110	15.1	13.7
4	51	37,200	9 + 9 + 9 + 24	6,600	6,600	6,600	17,500	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 9 + 9 + 24	6,900	6,900	6,900	16,500	0	0	0	0	3,060	14.9	13.4
4	51	37,200	9 + 9 + 15 + 18	6,700	6,700	11,100	12,700	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 9 + 15 + 18	6,600	6,600	10,900	13,100	0	0	0	0	3,060	14.9	13.4
4	51	37,200	9 + 12 + 12 + 18	6,700	8,900	8,900	12,700	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 12 + 12 + 18	6,800	8,500	8,500	13,500	0	0	0	0	3,060	14.9	13.4
4	51	37,200	9 + 12 + 15 + 15	6,600	8,800	10,900	10,900	0	0	0	0	3,300	16.0	14.5
		37,200	9 + 12 + 15 + 15	6,700	8,400	11,100	11,100	0	0	0	0	3,060	14.9	13.4
4	51	37,200	12 + 12 + 12 + 15	8,800	8,800	8,800	10,900	0	0	0	0	3,300	16.0	14.5
		37,200	12 + 12 + 12 + 15	8,600	8,600	8,600	11,400	0	0	0	0	3,060	14.9	13.4
5	45	37,500	9 + 9 + 9 + 9 + 9	7,500	7,500	7,500	7,500	7,500	0	0	0	3,810	18.5	16.7
		41,000	9 + 9 + 9 + 9 + 9	8,200	8,200	8,200	8,200	8,200	0	0	0	3,160	15.4	13.9
5	48	39,000	9 + 9 + 9 + 9 + 12	7,300	7,300	7,300	7,300	9,800	0	0	0	3,960	19.2	14.7
		42,000	9 + 9 + 9 + 9 + 12	8,000	8,000	8,000	8,000	10,000	0	0	0	3,310	16.1	14.5
5	51	40,000	9 + 9 + 9 + 9 + 15	7,100	7,100	7,100	7,100	11,800	0	0	0	4,020	19.5	17.7
		43,000	9 + 9 + 9 + 9 + 15	7,600	7,600	7,600	7,600	12,600	0	0	0	3,330	16.2	14.6
5	51	40,000	9 + 9 + 9 + 12 + 12	7,100	7,100	7,100	9,400	9,400	0	0	0	4,020	19.5	17.7
		43,000	9 + 9 + 9 + 12 + 12	7,800	7,800	7,800	9,800	9,800	0	0	0	3,330	16.2	14.6

# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	910	4.6	4.2
		7,400	6	7,400	0	0	0	0	0	0	0	860	4.4	3.9
1	9	9,000	9	9,000	0	0	0	0	0	0	0	930	4.7	4.3
		11,000	9	11,000	0	0	0	0	0	0	0	950	4.8	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,020	5.2	4.7
		14,400	12	14,400	0	0	0	0	0	0	0	1,210	6.1	5.5
1	15	14,000	15	14,000	0	0	0	0	0	0	0	1,200	6.1	5.5
		18,000	15	18,000	0	0	0	0	0	0	0	1,600	8.1	7.3
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,480	7.5	6.8
		21,600	18	21,600	0	0	0	0	0	0	0	2,000	10.1	9.2
1	24	22,500	24	22,500	0	0	0	0	0	0	0	2,290	11.6	10.5
		27,600	24	27,600	0	0	0	0	0	0	0	2,680	13.6	10.8
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	950	4.7	4.3
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	1,030	5.1	4.6
2	15	15,000	6 + 9	6,000	9,000	0	0	0	0	0	0	1,030	5.1	4.6
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	1,310	6.5	5.9
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,300	6.4	5.8
		22,000	6 + 12	7,500	14,500	0	0	0	0	0	0	1,620	8.0	7.3
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,300	6.4	5.8
		22,000	9 + 9	11,000	11,000	0	0	0	0	0	0	1,620	8.0	7.3
2	21	20,000	6 + 15	6,000	14,000	0	0	0	0	0	0	1,700	8.4	7.6
		25,400	6 + 15	7,400	18,000	0	0	0	0	0	0	1,900	9.4	8.5
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,700	8.4	7.6
		2,540	9 + 12	1,100	1,400	0	0	0	0	0	0	1,900	9.4	8.5
2	24	23,000	6 + 18	5,900	17,100	0	0	0	0	0	0	2,150	10.7	9.6
		28,000	6 + 18	7,100	20,900	0	0	0	0	0	0	2,260	11.2	10.1
2	24	23,000	9 + 15	9,000	14,000	0	0	0	0	0	0	2,150	10.7	9.6
		28,000	9 + 15	10,600	17,400	0	0	0	0	0	0	2,260	11.2	10.1
2	24	23,000	12 + 12	11,500	11,500	0	0	0	0	0	0	2,150	10.7	9.6
		28,000	12 + 12	14,000	14,000	0	0	0	0	0	0	2,260	11.2	10.1
2	27	25,800	9 + 18	8,900	16,900	0	0	0	0	0	0	2,450	12.1	11.0
		28,000	9 + 18	9,400	18,600	0	0	0	0	0	0	2,260	11.2	10.1
2	27	25,800	12 + 15	11,900	13,900	0	0	0	0	0	0	2,450	12.1	11.0
		28,000	12 + 15	12,400	15,600	0	0	0	0	0	0	2,260	11.2	10.1
2	30	28,000	6 + 24	5,900	22,100	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	6 + 24	5,900	22,100	0	0	0	0	0	0	2,260	11.2	10.1
2	30	28,000	12 + 18	11,500	16,500	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	12 + 18	11,200	16,800	0	0	0	0	0	0	2,260	11.2	10.1
2	30	28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	15 + 15	14,000	14,000	0	0	0	0	0	0	2,260	11.2	10.1
2	33	28,000	9 + 24	8,000	20,000	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	9 + 24	8,000	20,000	0	0	0	0	0	0	2,260	11.2	10.1
2	33	28,000	15 + 18	12,600	15,400	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	15 + 18	12,700	15,300	0	0	0	0	0	0	2,260	11.2	10.1
2	36	28,000	12 + 24	9,700	18,300	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	12 + 24	9,600	18,400	0	0	0	0	0	0	2,260	11.2	10.1
2	36	28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,600	12.9	11.7
		28,000	18 + 18	14,000	14,000	0	0	0	0	0	0	2,260	11.2	10.1
2	39	29,000	15 + 24	11,100	17,900	0	0	0	0	0	0	2,650	13.1	11.9
		29,000	15 + 24	11,400	17,600	0	0	0	0	0	0	2,300	11.4	10.3
2	42	29,000	18 + 24	12,600	16,400	0	0	0	0	0	0	2,650	13.1	11.9
		29,000	18 + 24	12,700	16,300	0	0	0	0	0	0	2,300	11.4	10.3
2	48	30,000	24 + 24	15,000	15,000	0	0	0	0	0	0	2,650	13.1	11.9
		30,000	24 + 24	15,000	15,000	0	0	0	0	0	0	2,280	11.3	10.2
3	18	18,000	6 + 6 + 6	6,000	6,000	6,000	0	0	0	0	0	1,200	6.0	5.4
		22,200	6 + 6 + 6	7,400	7,400	7,400	0	0	0	0	0	1,450	7.2	6.5
3	21	21,000	6 + 6 + 9	6,000	6,000	9,000	0	0	0	0	0	1,360	6.7	6.1
		25,800	6 + 6 + 9	7,400	7,400	11,000	0	0	0	0	0	1,730	8.6	7.8
3	24	24,000	6 + 6 + 12	6,000	6,000	12,000	0	0	0	0	0	1,800	8.9	8.1
		29,200	6 + 6 + 12	7,400	7,400	14,400	0	0	0	0	0	2,020	10.0	9.1
3	24	24,000	6 + 9 + 9	6,000	9,000	9,000	0	0	0	0	0	1,800	8.9	8.1
		29,200	6 + 9 + 9	7,300	10,900	10,900	0	0	0	0	0	2,020	10.0	9.1
3	27	26,000	6 + 6 + 15	6,000	6,000	14,000	0	0	0	0	0	2,250	11.2	10.1
		32,800	6 + 6 + 15	7,400	7,400	18,000	0	0	0	0	0	2,470	12.2	11.1

# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
3	27	26,000	6 + 9 + 12	5,800	8,700	11,600	0	0	0	0	0	2,250	11.2	10.1
		32,800	6 + 9 + 12	7,400	11,000	14,400	0	0	0	0	0	2,470	12.2	11.1
3	27	26,000	9 + 9 + 9	8,700	8,700	8,700	0	0	0	0	0	2,250	11.2	10.1
		32,800	9 + 9 + 9	10,900	10,900	10,900	0	0	0	0	0	2,470	12.2	11.1
3	30	29,000	6 + 6 + 18	6,000	6,000	17,100	0	0	0	0	0	2,400	11.9	10.8
		32,800	6 + 6 + 18	6,700	6,700	19,500	0	0	0	0	0	2,450	12.1	11.0
3	30	29,000	6 + 9 + 15	6,000	9,000	14,000	0	0	0	0	0	2,400	11.9	10.8
		32,800	6 + 9 + 15	6,700	9,900	16,200	0	0	0	0	0	2,450	12.1	11.0
3	30	29,000	6 + 12 + 12	5,800	11,600	11,600	0	0	0	0	0	2,400	11.9	10.8
		32,800	6 + 12 + 12	6,700	13,000	13,000	0	0	0	0	0	2,450	12.1	11.0
3	30	29,000	9 + 9 + 12	8,700	8,700	11,600	0	0	0	0	0	2,400	11.9	10.8
		32,800	9 + 9 + 12	9,900	9,900	13,000	0	0	0	0	0	2,450	12.1	11.0
3	33	32,000	6 + 9 + 18	6,000	8,900	17,100	0	0	0	0	0	2,850	14.1	12.8
		32,800	6 + 9 + 18	6,100	9,000	17,700	0	0	0	0	0	2,430	11.9	10.8
3	33	32,000	6 + 12 + 15	6,000	12,000	14,000	0	0	0	0	0	2,850	14.1	12.8
		32,800	6 + 12 + 15	6,100	11,900	14,800	0	0	0	0	0	2,430	11.9	10.8
3	33	32,000	9 + 9 + 15	9,000	9,000	14,000	0	0	0	0	0	2,850	14.1	12.8
		32,800	9 + 9 + 15	9,000	9,000	14,800	0	0	0	0	0	2,430	11.9	10.8
3	33	32,000	9 + 12 + 12	8,700	11,600	11,600	0	0	0	0	0	2,850	14.1	12.8
		32,800	9 + 12 + 12	9,100	11,900	11,900	0	0	0	0	0	2,430	11.9	10.8
3	36	32,600	6 + 6 + 24	5,700	5,700	21,300	0	0	0	0	0	2,900	14.4	13.0
		32,800	6 + 6 + 24	5,700	5,700	21,400	0	0	0	0	0	2,410	11.9	10.7
3	36	32,600	6 + 12 + 18	5,600	11,100	15,900	0	0	0	0	0	2,900	14.4	13.0
		32,800	6 + 12 + 18	5,600	10,900	16,300	0	0	0	0	0	2,410	11.9	10.7
3	36	32,600	6 + 15 + 15	5,800	13,400	13,400	0	0	0	0	0	2,900	14.4	13.0
		32,800	6 + 15 + 15	5,600	13,600	13,600	0	0	0	0	0	2,410	11.9	10.7
3	36	32,600	9 + 9 + 18	8,300	8,300	15,900	0	0	0	0	0	2,900	14.4	13.0
		32,800	9 + 9 + 18	8,300	8,300	16,200	0	0	0	0	0	2,410	11.9	10.7
3	36	32,600	9 + 12 + 15	8,400	11,200	13,000	0	0	0	0	0	2,900	14.4	13.0
		32,800	9 + 12 + 15	8,300	10,900	13,600	0	0	0	0	0	2,410	11.9	10.7
3	36	32,600	12 + 12 + 12	10,900	10,900	10,900	0	0	0	0	0	2,900	14.4	13.0
		32,800	12 + 12 + 12	10,900	10,900	10,900	0	0	0	0	0	2,410	11.9	10.7
3	39	32,600	6 + 9 + 24	5,200	7,800	19,600	0	0	0	0	0	2,860	14.2	12.8
		32,800	6 + 9 + 24	5,300	7,800	19,700	0	0	0	0	0	2,390	11.9	10.7
3	39	32,600	6 + 15 + 18	5,300	12,300	15,100	0	0	0	0	0	2,860	14.2	12.8
		32,800	6 + 15 + 18	5,200	12,600	15,100	0	0	0	0	0	2,390	11.9	10.7
3	39	32,600	9 + 12 + 18	7,700	10,200	14,700	0	0	0	0	0	2,860	14.2	12.8
		32,800	9 + 12 + 18	7,700	10,000	15,100	0	0	0	0	0	2,390	11.9	10.7
3	39	32,600	9 + 15 + 15	7,900	12,300	12,300	0	0	0	0	0	2,860	14.2	12.8
		32,800	9 + 15 + 15	7,700	12,600	12,600	0	0	0	0	0	2,390	11.9	10.7
3	39	32,600	12 + 12 + 15	10,300	10,300	12,000	0	0	0	0	0	2,860	14.2	12.8
		32,800	12 + 12 + 15	10,100	10,100	12,600	0	0	0	0	0	2,390	11.9	10.7
3	42	32,600	6 + 12 + 24	4,800	9,700	18,100	0	0	0	0	0	2,820	14.0	12.6
		32,800	6 + 12 + 24	4,900	9,600	18,300	0	0	0	0	0	2,370	11.8	10.6
3	42	32,600	6 + 18 + 18	4,800	13,900	13,900	0	0	0	0	0	2,820	14.0	12.6
		32,800	6 + 18 + 18	4,800	14,000	14,000	0	0	0	0	0	2,370	11.8	10.6
3	42	32,600	9 + 9 + 24	7,200	7,200	18,100	0	0	0	0	0	2,820	14.0	12.6
		32,800	9 + 9 + 24	7,300	7,300	18,300	0	0	0	0	0	2,370	11.8	10.6
3	42	32,600	9 + 15 + 18	7,300	11,400	13,900	0	0	0	0	0	2,820	14.0	12.6
		32,800	9 + 15 + 18	7,100	11,700	14,000	0	0	0	0	0	2,370	11.8	10.6
3	42	32,600	12 + 12 + 18	9,500	9,500	13,600	0	0	0	0	0	2,820	14.0	12.6
		32,800	12 + 12 + 18	9,400	9,400	14,100	0	0	0	0	0	2,370	11.8	10.6
3	42	32,600	12 + 15 + 15	9,800	11,400	11,400	0	0	0	0	0	2,820	14.0	12.6
		32,800	12 + 15 + 15	9,400	11,700	11,700	0	0	0	0	0	2,370	11.8	10.6
3	45	32,600	6 + 15 + 24	4,600	10,700	17,300	0	0	0	0	0	2,780	13.8	12.5
		32,800	6 + 15 + 24	4,600	11,100	17,100	0	0	0	0	0	2,350	11.7	10.5
3	45	32,600	9 + 12 + 24	6,700	9,000	16,900	0	0	0	0	0	2,780	13.8	12.5
		32,800	9 + 12 + 24	6,800	8,900	17,100	0	0	0	0	0	2,350	11.7	10.5
3	45	32,600	9 + 18 + 18	6,800	12,900	12,900	0	0	0	0	0	2,780	13.8	12.5
		32,800	9 + 18 + 18	6,700	13,100	13,100	0	0	0	0	0	2,350	11.7	10.5
3	45	32,600	12 + 15 + 18	9,100	10,600	13,000	0	0	0	0	0	2,780	13.8	12.5
		32,800	12 + 15 + 18	8,700	10,900	13,100	0	0	0	0	0	2,350	11.7	10.5
3	45	32,600	15 + 15 + 15	10,900	10,900	10,900	0	0	0	0	0	2,780	13.8	12.5
		32,800	15 + 15 + 15	10,900	10,900	10,900	0	0	0	0	0	2,350	11.7	10.5



# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
3	48	32,600	6 + 18 + 24	4,300	12,300	16,100	0	0	0	0	0	2,740	13.6	12.3
		32,800	6 + 18 + 24	4,300	12,500	16,000	0	0	0	0	0	2,330	11.6	10.4
3	48	32,600	9 + 15 + 24	6,400	10,000	16,100	0	0	0	0	0	2,740	13.6	12.3
		32,800	9 + 15 + 24	6,400	10,400	16,000	0	0	0	0	0	2,330	11.6	10.4
3	48	32,600	12 + 12 + 24	8,400	8,400	15,800	0	0	0	0	0	2,740	13.6	12.3
		32,800	12 + 12 + 24	8,400	8,400	16,100	0	0	0	0	0	2,330	11.6	10.4
3	48	32,600	12 + 18 + 18	8,400	12,100	12,100	0	0	0	0	0	2,740	13.6	12.3
		32,800	12 + 18 + 18	8,200	12,300	12,300	0	0	0	0	0	2,330	11.6	10.4
3	48	32,600	15 + 15 + 18	10,100	10,100	12,400	0	0	0	0	0	2,740	13.6	12.3
		32,800	15 + 15 + 18	10,300	10,300	12,300	0	0	0	0	0	2,330	11.6	10.4
3	51	32,600	9 + 18 + 24	6,000	11,500	15,100	0	0	0	0	0	2,720	13.5	12.2
		32,800	9 + 18 + 24	6,000	11,800	15,000	0	0	0	0	0	2,310	11.5	10.4
3	51	32,600	12 + 15 + 24	8,100	9,400	15,100	0	0	0	0	0	2,720	13.5	12.2
		32,800	12 + 15 + 24	7,900	9,800	15,100	0	0	0	0	0	2,310	11.5	10.4
3	51	32,600	15 + 18 + 18	9,400	11,600	11,600	0	0	0	0	0	2,720	13.5	12.2
		32,800	15 + 18 + 18	9,600	11,600	11,600	0	0	0	0	0	2,310	11.5	10.4
4	24	24,000	6 + 6 + 6 + 6	6,000	6,000	6,000	6,000	0	0	0	0	1,720	8.4	7.6
		29,600	6 + 6 + 6 + 6	7,400	7,400	7,400	7,400	0	0	0	0	2,000	9.7	8.8
4	27	27,000	6 + 6 + 6 + 9	6,000	6,000	6,000	9,000	0	0	0	0	2,160	10.5	9.5
		33,200	6 + 6 + 6 + 9	7,400	7,400	7,400	11,000	0	0	0	0	2,420	11.8	10.6
4	30	30,000	6 + 6 + 6 + 12	6,000	6,000	6,000	12,000	0	0	0	0	2,520	12.2	11.1
		36,000	6 + 6 + 6 + 12	7,300	7,300	7,300	14,200	0	0	0	0	2,730	13.3	12.0
4	30	30,000	6 + 6 + 9 + 9	6,000	6,000	9,000	9,000	0	0	0	0	2,520	12.2	11.1
		36,000	6 + 6 + 9 + 9	7,200	7,200	10,800	10,800	0	0	0	0	2,730	13.3	12.0
4	33	32,000	6 + 6 + 6 + 15	6,000	6,000	6,000	14,000	0	0	0	0	3,100	15.1	13.6
		36,000	6 + 6 + 6 + 15	6,600	6,600	6,600	16,100	0	0	0	0	2,700	13.1	11.9
4	33	32,000	6 + 6 + 9 + 12	5,800	5,800	8,700	11,600	0	0	0	0	3,100	15.1	13.6
		36,000	6 + 6 + 9 + 12	6,600	6,600	9,900	12,900	0	0	0	0	2,700	13.1	11.9
4	33	32,000	6 + 9 + 9 + 9	5,800	8,700	8,700	8,700	0	0	0	0	3,100	15.1	13.6
		36,000	6 + 9 + 9 + 9	6,600	9,800	9,800	9,800	0	0	0	0	2,700	13.1	11.9
4	36	35,400	6 + 6 + 6 + 18	6,000	6,000	6,000	17,300	0	0	0	0	3,650	17.7	16.0
		36,000	6 + 6 + 6 + 18	6,100	6,100	6,100	17,800	0	0	0	0	2,670	13.0	11.7
4	36	35,400	6 + 6 + 9 + 15	6,100	6,100	9,100	14,200	0	0	0	0	3,650	17.7	16.0
		36,000	6 + 6 + 9 + 15	6,100	6,100	9,000	14,800	0	0	0	0	2,670	13.0	11.7
4	36	35,400	6 + 6 + 12 + 12	5,900	5,900	11,800	11,800	0	0	0	0	3,650	17.7	16.0
		36,000	6 + 6 + 12 + 12	6,100	6,100	11,900	11,900	0	0	0	0	2,670	13.0	11.7
4	36	35,400	6 + 9 + 9 + 12	5,900	8,900	8,900	11,800	0	0	0	0	3,650	17.7	16.0
		36,000	6 + 9 + 9 + 12	6,100	9,000	9,000	11,800	0	0	0	0	2,670	13.0	11.7
4	36	35,400	9 + 9 + 9 + 9	8,900	8,900	8,900	8,900	0	0	0	0	3,650	17.7	16.0
		36,000	9 + 9 + 9 + 9	9,000	9,000	9,000	9,000	0	0	0	0	2,670	13.0	11.7
4	39	38,000	6 + 6 + 9 + 18	6,000	6,000	9,000	17,100	0	0	0	0	4,100	19.9	18.0
		38,000	6 + 6 + 9 + 18	5,900	5,900	8,800	17,300	0	0	0	0	2,640	12.8	11.6
4	39	38,000	6 + 6 + 12 + 15	6,000	6,000	12,000	14,000	0	0	0	0	4,100	19.9	18.0
		38,000	6 + 6 + 12 + 15	6,000	6,000	11,600	14,500	0	0	0	0	2,640	12.8	11.6
4	39	38,000	6 + 9 + 9 + 15	6,000	9,000	9,000	14,000	0	0	0	0	4,100	19.9	18.0
		38,000	6 + 9 + 9 + 15	5,900	8,800	8,800	14,400	0	0	0	0	2,640	12.8	11.6
4	39	38,000	6 + 9 + 12 + 12	5,800	8,800	11,700	11,700	0	0	0	0	4,100	19.9	18.0
		38,000	6 + 9 + 12 + 12	6,000	8,900	11,600	11,600	0	0	0	0	2,640	12.8	11.6
4	39	38,000	9 + 9 + 9 + 12	8,800	8,800	8,800	11,700	0	0	0	0	4,100	19.9	18.0
		38,000	9 + 9 + 9 + 12	8,800	8,800	8,800	11,500	0	0	0	0	2,640	12.8	11.6
4	42	38,000	6 + 6 + 6 + 24	5,600	5,600	5,600	21,100	0	0	0	0	4,000	19.4	17.6
		38,000	6 + 6 + 6 + 24	5,600	5,600	5,600	21,100	0	0	0	0	2,610	12.7	11.5
4	42	38,000	6 + 6 + 12 + 18	5,500	5,500	11,100	15,900	0	0	0	0	4,000	19.4	17.6
		38,000	6 + 6 + 12 + 18	5,500	5,500	10,800	16,200	0	0	0	0	2,610	12.7	11.5
4	42	38,000	6 + 6 + 15 + 15	5,700	5,700	13,300	13,300	0	0	0	0	4,000	19.4	17.6
		38,000	6 + 6 + 15 + 15	5,500	5,500	13,500	13,500	0	0	0	0	2,610	12.7	11.5
4	42	38,000	6 + 9 + 9 + 18	5,500	8,300	8,300	15,900	0	0	0	0	4,000	19.4	17.6
		38,000	6 + 9 + 9 + 18	5,500	8,200	8,200	16,100	0	0	0	0	2,610	12.7	11.5
4	42	38,000	6 + 9 + 12 + 15	5,600	8,300	11,100	13,000	0	0	0	0	4,000	19.4	17.6
		38,000	6 + 9 + 12 + 15	5,500	8,200	10,800	13,500	0	0	0	0	2,610	12.7	11.5
4	42	38,000	6 + 12 + 12 + 12	5,400	10,900	10,900	10,900	0	0	0	0	4,000	19.4	17.6
		38,000	6 + 12 + 12 + 12	5,600	10,800	10,800	10,800	0	0	0	0	2,610	12.7	11.5
4	42	38,000	9 + 9 + 9 + 15	8,300	8,300	8,300	13,000	0	0	0	0	4,000	19.4	17.6
		38,000	9 + 9 + 9 + 15	8,200	8,200	8,200	13,400	0	0	0	0	2,610	12.7	11.5

# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
4	42	38,000	9 + 9 + 12 + 12	8,100	8,100	10,900	10,900	0	0	0	0	4,000	19.4	17.6
		38,000	9 + 9 + 12 + 12	8,200	8,200	10,800	10,800	0	0	0	0	2,610	12.7	11.5
4	45	38,000	6 + 6 + 9 + 24	5,200	5,200	7,900	19,700	0	0	0	0	3,900	18.9	17.1
		38,000	6 + 6 + 9 + 24	5,300	5,300	7,800	19,600	0	0	0	0	2,580	12.5	11.3
4	45	38,000	6 + 6 + 15 + 18	5,300	5,300	12,300	15,100	0	0	0	0	3,900	18.9	17.1
		38,000	6 + 6 + 15 + 18	5,200	5,200	12,600	15,100	0	0	0	0	2,580	12.5	11.3
4	45	38,000	6 + 9 + 12 + 18	5,200	7,700	10,300	14,800	0	0	0	0	3,900	18.9	17.1
		38,000	6 + 9 + 12 + 18	5,200	7,700	10,100	15,100	0	0	0	0	2,580	12.5	11.3
4	45	38,000	6 + 9 + 15 + 15	5,300	8,000	12,400	12,400	0	0	0	0	3,900	18.9	17.1
		38,000	6 + 9 + 15 + 15	5,200	7,700	12,600	12,600	0	0	0	0	2,580	12.5	11.3
4	45	38,000	6 + 12 + 12 + 15	5,200	10,400	10,400	12,100	0	0	0	0	3,900	18.9	17.1
		38,000	6 + 12 + 12 + 15	5,200	10,100	10,100	12,600	0	0	0	0	2,580	12.5	11.3
4	45	38,000	9 + 9 + 9 + 18	7,700	7,700	7,700	14,800	0	0	0	0	3,900	18.9	17.1
		38,000	9 + 9 + 9 + 18	7,700	7,700	7,700	15,000	0	0	0	0	2,580	12.5	11.3
4	45	38,000	9 + 9 + 12 + 15	7,800	7,800	10,400	12,100	0	0	0	0	3,900	18.9	17.1
		38,000	9 + 9 + 12 + 15	7,700	7,700	10,100	12,600	0	0	0	0	2,580	12.5	11.3
4	45	38,000	9 + 12 + 12 + 12	7,600	10,100	10,100	10,100	0	0	0	0	3,900	18.9	17.1
		38,000	9 + 12 + 12 + 12	7,700	10,100	10,100	10,100	0	0	0	0	2,580	12.5	11.3
4	48	38,000	6 + 6 + 12 + 24	4,900	4,900	9,800	18,400	0	0	0	0	3,800	18.5	16.7
		38,000	6 + 6 + 12 + 24	5,000	5,000	9,600	18,500	0	0	0	0	2,550	12.4	11.2
4	48	38,000	6 + 6 + 18 + 18	4,900	4,900	14,100	14,100	0	0	0	0	3,800	18.5	16.7
		38,000	6 + 6 + 18 + 18	4,800	4,800	14,200	14,200	0	0	0	0	2,550	12.4	11.2
4	48	38,000	6 + 9 + 9 + 24	4,900	7,400	7,400	18,400	0	0	0	0	3,800	18.5	16.7
		38,000	6 + 9 + 9 + 24	4,900	7,300	7,300	18,400	0	0	0	0	2,550	12.4	11.2
4	48	38,000	6 + 9 + 15 + 18	4,900	7,400	11,500	14,100	0	0	0	0	3,800	18.5	16.7
		38,000	6 + 9 + 15 + 18	4,800	7,200	11,800	14,200	0	0	0	0	2,550	12.4	11.2
4	48	38,000	6 + 12 + 12 + 18	4,800	9,700	9,700	13,800	0	0	0	0	3,800	18.5	16.7
		38,000	6 + 12 + 12 + 18	4,900	9,500	9,500	14,200	0	0	0	0	2,550	12.4	11.2
4	48	38,000	6 + 12 + 15 + 15	5,000	9,900	11,600	11,600	0	0	0	0	3,800	18.5	16.7
		38,000	6 + 12 + 15 + 15	4,900	9,500	11,800	11,800	0	0	0	0	2,550	12.4	11.2
4	48	38,000	9 + 9 + 12 + 18	7,200	7,200	9,700	13,800	0	0	0	0	3,800	18.5	16.7
		38,000	9 + 9 + 12 + 18	7,200	7,200	9,400	14,200	0	0	0	0	2,550	12.4	11.2
4	48	38,000	9 + 9 + 15 + 15	7,400	7,400	11,600	11,600	0	0	0	0	3,800	18.5	16.7
		38,000	9 + 9 + 15 + 15	7,200	7,200	11,800	11,800	0	0	0	0	2,550	12.4	11.2
4	48	38,000	9 + 12 + 12 + 15	7,300	9,700	9,700	11,300	0	0	0	0	3,800	18.5	16.7
		38,000	9 + 12 + 12 + 15	7,200	9,500	9,500	11,800	0	0	0	0	2,550	12.4	11.2
4	48	38,000	12 + 12 + 12 + 12	9,500	9,500	9,500	9,500	0	0	0	0	3,800	18.5	16.7
		38,000	12 + 12 + 12 + 12	9,500	9,500	9,500	9,500	0	0	0	0	2,550	12.4	11.2
4	51	38,000	6 + 6 + 15 + 24	4,700	4,700	11,000	17,600	0	0	0	0	3,700	18.0	16.3
		38,000	6 + 6 + 15 + 24	4,700	4,700	11,300	17,400	0	0	0	0	2,520	12.2	11.1
4	51	38,000	6 + 9 + 12 + 24	4,600	6,900	9,200	17,300	0	0	0	0	3,700	18.0	16.3
		38,000	6 + 9 + 12 + 24	4,700	6,900	9,100	17,400	0	0	0	0	2,520	12.2	11.1
4	51	38,000	6 + 9 + 18 + 18	4,600	6,900	13,200	13,200	0	0	0	0	3,700	18.0	16.3
		38,000	6 + 9 + 18 + 18	4,600	6,800	13,300	13,300	0	0	0	0	2,520	12.2	11.1
4	51	38,000	6 + 12 + 15 + 18	4,600	9,300	10,800	13,300	0	0	0	0	3,700	18.0	16.3
		38,000	6 + 12 + 15 + 18	4,600	8,900	11,100	13,400	0	0	0	0	2,520	12.2	11.1
4	51	38,000	6 + 15 + 15 + 15	4,800	11,100	11,100	11,100	0	0	0	0	3,700	18.0	16.3
		38,000	6 + 15 + 15 + 15	4,600	11,100	11,100	11,100	0	0	0	0	2,520	12.2	11.1
4	51	38,000	9 + 9 + 9 + 24	6,900	6,900	6,900	17,300	0	0	0	0	3,700	18.0	16.3
		38,000	9 + 9 + 9 + 24	6,900	6,900	6,900	17,300	0	0	0	0	2,520	12.2	11.1
4	51	38,000	9 + 9 + 15 + 18	7,000	7,000	10,800	13,300	0	0	0	0	3,700	18.0	16.3
		38,000	9 + 9 + 15 + 18	6,800	6,800	11,100	13,300	0	0	0	0	2,520	12.2	11.1
4	51	38,000	9 + 12 + 12 + 18	6,800	9,100	9,100	13,000	0	0	0	0	3,700	18.0	16.3
		38,000	9 + 12 + 12 + 18	6,800	8,900	8,900	13,400	0	0	0	0	2,520	12.2	11.1
4	51	38,000	9 + 12 + 15 + 15	7,000	9,300	10,900	10,900	0	0	0	0	3,700	18.0	16.3
		38,000	9 + 12 + 15 + 15	6,800	8,900	11,100	11,100	0	0	0	0	2,520	12.2	11.1
4	51	38,000	12 + 12 + 12 + 15	9,100	9,100	9,100	10,600	0	0	0	0	3,700	18.0	16.3
		38,000	12 + 12 + 12 + 15	8,900	8,900	8,900	11,200	0	0	0	0	2,520	12.2	11.1
5	30	30,000	6 + 6 + 6 + 6 + 6	6,000	6,000	6,000	6,000	6,000	0	0	0	2,470	12.0	10.9
		37,000	6 + 6 + 6 + 6 + 6	7,400	7,400	7,400	7,400	7,400	0	0	0	2,970	14.4	13.0
5	33	33,000	6 + 6 + 6 + 6 + 9	6,000	6,000	6,000	6,000	9,000	0	0	0	2,950	14.3	13.0
		40,600	6 + 6 + 6 + 6 + 9	7,400	7,400	7,400	7,400	11,000	0	0	0	3,200	15.5	14.1
5	36	36,000	6 + 6 + 6 + 6 + 12	6,000	6,000	6,000	6,000	12,000	0	0	0	3,500	17.0	15.4
		44,000	6 + 6 + 6 + 6 + 12	7,400	7,400	7,400	7,400	14,400	0	0	0	3,240	15.7	14.2
5	36	36,000	6 + 6 + 6 + 9 + 9	6,000	6,000	6,000	9,000	9,000	0	0	0	3,500	17.0	15.4
		44,000	6 + 6 + 6 + 9 + 9	7,400	7,400	7,400	11,000	11,000	0	0	0	3,240	15.7	14.2

# STANDARD MODELS

## MXZ-5C42NA2/MXZ-5C42NA OPERATIONAL PERFORMANCE NON-DUCTED, cont.

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
5	39	38,000	6 + 6 + 6 + 6 + 15	6,000	6,000	6,000	6,000	14,000	0	0	0	3,900	18.9	17.1
		44,600	6 + 6 + 6 + 6 + 15	6,900	6,900	6,900	6,900	16,900	0	0	0	3,350	16.3	14.7
5	39	38,000	6 + 6 + 6 + 9 + 12	5,800	5,800	5,800	8,800	11,700	0	0	0	3,900	18.9	17.1
		44,600	6 + 6 + 6 + 9 + 12	6,900	6,900	6,900	10,300	13,500	0	0	0	3,350	16.3	14.7
5	39	38,000	6 + 6 + 9 + 9 + 9	5,800	5,800	8,800	8,800	8,800	0	0	0	3,900	18.9	17.1
		44,600	6 + 6 + 9 + 9 + 9	6,900	6,900	10,300	10,300	10,300	0	0	0	3,350	16.3	14.7
5	42	40,500	6 + 6 + 6 + 6 + 18	5,900	5,900	5,900	5,900	16,900	0	0	0	4,300	20.9	18.9
		45,000	6 + 6 + 6 + 6 + 18	6,500	6,500	6,500	6,500	19,000	0	0	0	3,480	16.9	15.3
5	42	40,500	6 + 6 + 6 + 9 + 15	5,900	5,900	5,900	8,900	13,800	0	0	0	4,300	20.9	18.9
		45,000	6 + 6 + 6 + 9 + 15	6,500	6,500	6,500	9,700	15,800	0	0	0	3,480	16.9	15.3
5	42	40,500	6 + 6 + 6 + 12 + 12	5,800	5,800	5,800	11,600	11,600	0	0	0	4,300	20.9	18.9
		45,000	6 + 6 + 6 + 12 + 12	6,500	6,500	6,500	12,700	12,700	0	0	0	3,480	16.9	15.3
5	42	40,500	6 + 6 + 9 + 9 + 12	5,800	5,800	8,700	8,700	11,600	0	0	0	4,300	20.9	18.9
		45,000	6 + 6 + 9 + 9 + 12	6,500	6,500	9,700	9,700	12,700	0	0	0	3,480	16.9	15.3
5	42	40,500	6 + 9 + 9 + 9 + 9	5,800	8,700	8,700	8,700	8,700	0	0	0	4,300	20.9	18.9
		45,000	6 + 9 + 9 + 9 + 9	6,500	9,600	9,600	9,600	9,600	0	0	0	3,480	16.9	15.3
5	45	41,600	6 + 6 + 6 + 9 + 18	5,600	5,600	5,600	8,500	16,200	0	0	0	4,360	21.2	19.2
		45,800	6 + 6 + 6 + 9 + 18	6,200	6,200	6,200	9,200	18,100	0	0	0	3,550	17.2	15.6
5	45	41,600	6 + 6 + 6 + 12 + 15	5,700	5,700	5,700	11,300	13,200	0	0	0	4,360	21.2	19.2
		45,800	6 + 6 + 6 + 12 + 15	6,200	6,200	6,200	12,100	15,100	0	0	0	3,550	17.2	15.6
5	45	41,600	6 + 6 + 9 + 9 + 15	5,700	5,700	8,500	8,500	13,200	0	0	0	4,360	21.2	19.2
		45,800	6 + 6 + 9 + 9 + 15	6,200	6,200	9,200	9,200	15,000	0	0	0	3,550	17.2	15.6
5	45	41,600	6 + 6 + 9 + 12 + 12	5,500	5,500	8,300	11,100	11,100	0	0	0	4,360	21.2	19.2
		45,800	6 + 6 + 9 + 12 + 12	6,200	6,200	9,200	12,100	12,100	0	0	0	3,550	17.2	15.6
5	45	41,600	6 + 9 + 9 + 9 + 12	5,500	8,300	8,300	8,300	11,100	0	0	0	4,360	21.2	19.2
		45,800	6 + 9 + 9 + 9 + 12	6,200	9,200	9,200	9,200	12,000	0	0	0	3,550	17.2	15.6
5	45	41,600	9 + 9 + 9 + 9 + 9	8,300	8,300	8,300	8,300	8,300	0	0	0	4,360	21.2	19.2
		45,800	9 + 9 + 9 + 9 + 9	9,200	9,200	9,200	9,200	9,200	0	0	0	3,550	17.2	15.6
5	48	41,600	6 + 6 + 6 + 6 + 24	5,400	5,400	5,400	5,400	20,100	0	0	0	4,300	20.9	18.9
		45,800	6 + 6 + 6 + 6 + 24	5,900	5,900	5,900	5,900	22,100	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 6 + 6 + 12 + 18	5,300	5,300	5,300	10,600	15,200	0	0	0	4,300	20.9	18.9
		45,800	6 + 6 + 6 + 12 + 18	5,800	5,800	5,800	11,300	17,000	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 6 + 6 + 15 + 15	5,400	5,400	5,400	12,700	12,700	0	0	0	4,300	20.9	18.9
		45,800	6 + 6 + 6 + 15 + 15	5,800	5,800	5,800	14,200	14,200	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 6 + 9 + 9 + 18	5,300	5,300	7,900	7,900	15,200	0	0	0	4,300	20.9	18.9
		45,800	6 + 6 + 9 + 9 + 18	5,800	5,800	8,600	8,600	16,900	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 6 + 9 + 12 + 15	5,300	5,300	8,000	10,600	12,400	0	0	0	4,300	20.9	18.9
		45,800	6 + 6 + 9 + 12 + 15	5,800	5,800	8,700	11,300	14,200	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 6 + 12 + 12 + 12	5,200	5,200	10,400	10,400	10,400	0	0	0	4,300	20.9	18.9
		45,800	6 + 6 + 12 + 12 + 12	5,800	5,800	11,400	11,400	11,400	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 9 + 9 + 9 + 15	5,300	8,000	8,000	8,000	12,400	0	0	0	4,300	20.9	18.9
		45,800	6 + 9 + 9 + 9 + 15	5,800	8,600	8,600	8,600	14,100	0	0	0	3,520	17.1	15.5
5	48	41,600	6 + 9 + 9 + 12 + 12	5,200	7,800	7,800	10,400	10,400	0	0	0	4,300	20.9	18.9
		45,800	6 + 9 + 9 + 12 + 12	5,800	8,700	8,700	11,300	11,300	0	0	0	3,520	17.1	15.5
5	48	41,600	9 + 9 + 9 + 9 + 12	7,800	7,800	7,800	7,800	10,400	0	0	0	4,300	20.9	18.9
		45,800	9 + 9 + 9 + 9 + 12	8,600	8,600	8,600	8,600	11,300	0	0	0	3,520	17.1	15.5
5	51	41,600	6 + 6 + 6 + 9 + 24	5,000	5,000	5,000	7,600	18,900	0	0	0	4,250	20.6	18.7
		46,400	6 + 6 + 6 + 9 + 24	5,600	5,600	5,600	8,400	21,100	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 6 + 6 + 15 + 18	5,100	5,100	5,100	11,800	14,500	0	0	0	4,250	20.6	18.7
		46,400	6 + 6 + 6 + 15 + 18	5,600	5,600	5,600	13,500	16,200	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 6 + 9 + 12 + 18	5,000	5,000	7,500	9,900	14,300	0	0	0	4,250	20.6	18.7
		46,400	6 + 6 + 9 + 12 + 18	5,600	5,600	8,300	10,800	16,200	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 6 + 9 + 15 + 15	5,100	5,100	7,600	11,900	11,900	0	0	0	4,250	20.6	18.7
		46,400	6 + 6 + 9 + 15 + 15	5,600	5,600	8,300	13,500	13,500	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 6 + 12 + 12 + 15	5,000	5,000	10,000	10,000	11,600	0	0	0	4,250	20.6	18.7
		46,400	6 + 6 + 12 + 12 + 15	5,600	5,600	10,800	10,800	13,600	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 9 + 9 + 9 + 18	5,000	7,500	7,500	7,500	14,300	0	0	0	4,250	20.6	18.7
		46,400	6 + 9 + 9 + 9 + 18	5,500	8,200	8,200	8,200	16,200	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 9 + 9 + 12 + 15	5,000	7,500	7,500	10,000	11,600	0	0	0	4,250	20.6	18.7
		46,400	6 + 9 + 9 + 12 + 15	5,600	8,300	8,300	10,800	13,500	0	0	0	3,490	17.0	15.3
5	51	41,600	6 + 9 + 9 + 12 + 12	4,900	7,300	9,800	9,800	9,800	0	0	0	4,250	20.6	18.7
		46,400	6 + 9 + 12 + 12 + 12	5,600	8,300	10,800	10,800	10,800	0	0	0	3,490	17.0	15.3
5	51	41,600	9 + 9 + 9 + 9 + 15	7,500	7,500	7,500	7,500	11,6						

## H2I® MODELS

### MXZ-2C20NAHZ2/MXZ-2C20NAHZ OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	980	5.0	4.5
		10,900	9	10,900	0	0	0	0	0	0	0	1,000	5.1	4.6
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,150	5.8	5.3
		13,600	12	13,600	0	0	0	0	0	0	0	1,260	6.4	5.8
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,450	7.3	6.6
		18,000	15	18,000	0	0	0	0	0	0	0	1,650	8.4	5.8
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,780	8.6	7.8
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,700	8.3	7.5
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,980	9.6	8.7
		22,000	9 + 12	9,800	12,200	0	0	0	0	0	0	1,930	9.4	8.5
2	24	20,000	9 + 15	7,500	12,500	0	0	0	0	0	0	1,950	9.5	8.6
		22,000	9 + 15	8,300	13,700	0	0	0	0	0	0	1,960	9.5	8.6
2	24	20,000	12 + 12	10,000	10,000	0	0	0	0	0	0	1,950	9.5	8.6
		22,000	12 + 12	11,000	11,000	0	0	0	0	0	0	1,960	9.5	8.6

## H2I® MODELS

### MXZ-2C20NAHZ2/MXZ-2C20NAHZ OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	910	4.6	4.2
		7,400	6	7,400	0	0	0	0	0	0	0	860	4.4	3.9
1	9	9,000	9	9,000	0	0	0	0	0	0	0	930	4.7	4.3
		11,000	9	11,000	0	0	0	0	0	0	0	950	4.8	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,020	5.2	4.7
		14,400	12	14,400	0	0	0	0	0	0	0	1,250	6.1	5.5
1	15	14,000	15	14,000	0	0	0	0	0	0	0	1,200	6.1	5.5
		18,000	15	18,000	0	0	0	0	0	0	0	1,600	8.1	7.3
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	970	4.7	4.3
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	1,030	5.0	4.5
2	15	15,000	6 + 9	6,000	9,000	0	0	0	0	0	0	1,060	5.2	4.7
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	1,310	6.4	5.8
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,280	6.2	5.6
		22,000	6 + 12	7,500	14,500	0	0	0	0	0	0	1,480	7.2	6.5
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,280	6.2	5.6
		22,000	9 + 9	11,000	11,000	0	0	0	0	0	0	1,480	7.2	6.5
2	21	20,000	6 + 15	6,000	14,000	0	0	0	0	0	0	1,760	8.6	7.7
		22,000	6 + 15	6,400	15,600	0	0	0	0	0	0	1,590	7.7	7.0
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,760	8.6	7.7
		22,000	9 + 12	9,500	12,500	0	0	0	0	0	0	1,590	7.7	7.0
2	24	20,000	9 + 15	7,800	12,200	0	0	0	0	0	0	1,740	8.5	7.6
		22,000	9 + 15	8,300	13,700	0	0	0	0	0	0	1,560	7.6	6.9
2	24	20,000	12 + 12	10,000	10,000	0	0	0	0	0	0	1,740	8.5	7.6
		22,000	12 + 12	11,000	11,000	0	0	0	0	0	0	1,560	7.6	6.9

# H2I® MODELS

## MXZ-3C24NAHZ2/MXZ-3C24NAHZ OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	1,150	5.0	4.5
		10,900	9	10,900	0	0	0	0	0	0	0	1,000	5.1	4.6
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,450	5.8	5.3
		13,600	12	13,600	0	0	0	0	0	0	0	1,260	6.4	5.8
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,850	7.3	6.6
		18,000	15	18,000	0	0	0	0	0	0	0	1,250	8.4	7.6
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,820	9.4	8.5
		21,600	18	21,600	0	0	0	0	0	0	0	2,050	10.4	9.4
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	2,050	9.0	8.2
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,820	9.0	8.2
2	21	21,000	9 + 12	9,000	12,000	0	0	0	0	0	0	2,320	10.2	9.2
		21,800	9 + 12	9,700	12,100	0	0	0	0	0	0	1,990	9.9	8.9
2	24	21,800	9 + 15	8,200	13,600	0	0	0	0	0	0	2,320	11.5	10.4
		21,800	9 + 15	8,200	13,600	0	0	0	0	0	0	1,960	9.7	8.8
2	24	21,800	12 + 12	10,900	10,900	0	0	0	0	0	0	2,280	11.5	10.4
		21,800	12 + 12	10,900	10,900	0	0	0	0	0	0	1,960	9.7	8.8
2	27	21,800	9 + 18	7,500	14,300	0	0	0	0	0	0	2,280	11.3	10.2
		21,800	9 + 18	7,300	14,500	0	0	0	0	0	0	1,930	9.6	8.7
2	27	21,800	12 + 15	9,700	12,100	0	0	0	0	0	0	2,280	11.3	10.2
		21,800	12 + 15	9,400	12,400	0	0	0	0	0	0	1,930	9.6	8.7
3	27	23,600	9 + 9 + 9	7,900	7,900	7,900	0	0	0	0	0	2,180	10.6	9.6
		24,600	9 + 9 + 9	8,200	8,200	8,200	0	0	0	0	0	1,700	8.3	7.5

# H2I® MODELS

## MXZ-3C24NAHZ2/MXZ-3C24NAHZ OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6,000	6,000	0	0	0	0	0	0	930	4.6	4.2	2.3
		7,400	7,400	7,400	0	0	0	0	0	0	0	860	4.4	3.9
1	9	9,000	9,000	9,000	0	0	0	0	0	0	1,020	4.7	4.3	3.0
		11,000	11,000	11,000	0	0	0	0	0	0	0	950	4.8	4.4
1	12	12,000	12,000	12,000	0	0	0	0	0	0	1,200	5.2	4.7	4.1
		14,400	14,400	14,400	0	0	0	0	0	0	0	1,210	6.1	5.5
1	15	14,000	14,000	14,000	0	0	0	0	0	0	1,480	6.1	5.5	5.8
		18,000	18,000	18,000	0	0	0	0	0	0	0	1,600	8.1	7.3
1	18	17,200	17,200	17,200	0	0	0	0	0	0	970	7.5	6.8	3.4
		21,600	21,600	21,600	0	0	0	0	0	0	0	2,000	10.1	9.2
2	12	12,000	12,000	6,000	6,000	0	0	0	0	0	1,060	4.8	4.4	4.5
		14,800	14,800	7,400	7,400	0	0	0	0	0	0	1,030	5.1	4.6
2	15	15,000	15,000	6,000	9,000	0	0	0	0	0	1,280	5.3	4.8	6.2
		18,400	18,400	7,400	11,000	0	0	0	0	0	0	1,310	6.5	5.9
2	18	18,000	18,000	6,000	12,000	0	0	0	0	0	1,280	6.3	5.7	6.2
		22,000	22,000	7,500	14,500	0	0	0	0	0	0	1,620	8.0	7.3
2	18	18,000	18,000	9,000	9,000	0	0	0	0	0	1,750	6.3	5.7	7.1
		22,000	22,000	11,000	11,000	0	0	0	0	0	0	1,620	8.0	7.3
2	21	20,000	20,000	6,000	14,000	0	0	0	0	0	1,750	8.7	7.8	7.1
		22,000	22,000	6,400	15,600	0	0	0	0	0	0	1,590	7.9	7.1
2	21	20,000	20,000	8,600	11,400	0	0	0	0	0	1,820	8.7	7.8	7.0
		22,000	22,000	9,500	12,500	0	0	0	0	0	0	1,590	7.9	7.1
2	24	21,800	21,800	5,600	16,200	0	0	0	0	0	1,820	9.0	8.2	7.0
		22,000	22,000	5,600	16,400	0	0	0	0	0	0	1,560	7.7	7.0
2	24	21,800	21,800	8,500	13,300	0	0	0	0	0	1,820	9.0	8.2	2.3
		22,000	22,000	8,300	13,700	0	0	0	0	0	0	1,560	7.7	7.0
2	24	21,800	21,800	10,900	10,900	0	0	0	0	0	1,800	9.0	8.2	3.0
		22,000	22,000	11,000	11,000	0	0	0	0	0	0	1,560	7.7	7.0
2	27	21,800	21,800	7,500	14,300	0	0	0	0	0	1,800	8.9	8.1	4.1
		22,000	22,000	7,400	14,600	0	0	0	0	0	0	1,530	7.6	6.9
2	27	21,800	21,800	10,100	11,700	0	0	0	0	0	1,200	8.9	8.1	5.8
		22,000	22,000	9,800	12,200	0	0	0	0	0	0	1,530	7.6	6.9
3	18	18,000	18,000	6,000	6,000	6,000	0	0	0	0	1,360	5.8	5.3	3.4
		22,200	22,200	7,400	7,400	7,400	0	0	0	0	0	1,450	7.0	6.4
3	21	18,000	18,000	5,100	5,100	7,700	0	0	0	0	1,650	6.6	6.0	4.5
		24,800	24,800	7,100	7,100	10,600	0	0	0	0	0	1,670	8.1	7.3
3	24	22,000	22,000	5,500	5,500	11,000	0	0	0	0	1,650	8.0	7.3	6.2
		25,000	25,000	6,300	6,300	12,300	0	0	0	0	0	1,880	9.1	8.3
3	24	22,000	22,000	5,500	8,300	8,300	0	0	0	0	1,950	8.0	7.3	6.2
		25,000	25,000	6,300	9,400	9,400	0	0	0	0	0	1,880	9.1	8.3
3	27	24,000	24,000	5,500	5,500	12,900	0	0	0	0	1,950	9.5	8.6	7.1
		25,000	25,000	5,600	5,600	13,700	0	0	0	0	0	1,860	9.0	8.2
3	27	24,000	24,000	5,300	8,000	10,700	0	0	0	0	1,950	9.5	8.6	7.1
		25,000	25,000	5,600	8,400	11,000	0	0	0	0	0	1,860	9.0	8.2
3	27	24,000	24,000	8,000	8,000	8,000	0	0	0	0	980	9.5	8.6	7.0
		25,000	25,000	8,300	8,300	8,300	0	0	0	0	0	1,860	9.0	8.2

# H2I® MODELS

## MXZ-3C30NAHZ2/MXZ-3C30NAHZ OPERATIONAL PERFORMANCE DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	9	9,000	9	9,000	0	0	0	0	0	0	0	980	5.0	4.5
		10,900	9	10,900	0	0	0	0	0	0	0	1,000	5.1	4.6
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,150	5.8	5.3
		13,600	12	13,600	0	0	0	0	0	0	0	1,260	6.4	5.8
1	15	15,000	15	15,000	0	0	0	0	0	0	0	1,450	7.3	6.6
		18,000	15	18,000	0	0	0	0	0	0	0	1,650	8.4	7.6
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,850	9.4	8.5
		21,600	18	21,600	0	0	0	0	0	0	0	2,050	10.4	9.4
1	24	22,600	24	22,600	0	0	0	0	0	0	0	2,400	12.2	11.0
		24,000	24	24,000	0	0	0	0	0	0	0	2,710	13.7	12.4
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,820	9.0	8.2
		21,800	9 + 9	10,900	10,900	0	0	0	0	0	0	1,820	9.0	8.2
2	21	21,000	9 + 12	9,000	12,000	0	0	0	0	0	0	2,020	10.0	9.1
		22,800	9 + 12	10,100	12,700	0	0	0	0	0	0	1,990	9.9	8.9
2	24	24,000	9 + 15	9,000	15,000	0	0	0	0	0	0	2,300	11.4	10.3
		24,000	9 + 15	9,100	14,900	0	0	0	0	0	0	2,210	11.0	9.9
2	24	24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,300	11.4	10.3
		24,000	12 + 12	12,000	12,000	0	0	0	0	0	0	2,210	11.0	9.9
2	27	24,000	9 + 18	8,200	15,800	0	0	0	0	0	0	2,270	11.3	10.2
		24,000	9 + 18	8,000	16,000	0	0	0	0	0	0	2,180	10.8	9.8
2	27	24,000	12 + 15	10,700	13,300	0	0	0	0	0	0	2,270	11.3	10.2
		24,000	12 + 15	10,300	13,700	0	0	0	0	0	0	2,180	10.8	9.8
2	30	24,000	12 + 18	9,900	14,100	0	0	0	0	0	0	2,240	11.1	10.0
		24,000	12 + 18	9,300	14,700	0	0	0	0	0	0	2,150	10.7	9.6
2	30	24,000	15 + 15	12,000	12,000	0	0	0	0	0	0	2,240	11.1	10.0
		24,000	15 + 15	12,000	12,000	0	0	0	0	0	0	2,150	10.7	9.6
2	33	27,400	9 + 24	7,800	19,600	0	0	0	0	0	0	2,210	11.0	9.9
		27,600	9 + 24	8,600	19,000	0	0	0	0	0	0	2,120	10.5	9.5
2	33	24,000	15 + 18	11,200	12,800	0	0	0	0	0	0	2,210	11.0	9.9
		24,000	15 + 18	10,900	13,100	0	0	0	0	0	0	2,120	10.5	9.5
2	36	27,400	12 + 24	9,500	17,900	0	0	0	0	0	0	2,190	10.9	9.8
		27,600	12 + 24	10,000	17,600	0	0	0	0	0	0	2,090	10.4	9.4
2	36	24,000	18 + 18	12,000	12,000	0	0	0	0	0	0	2,190	10.9	9.8
		24,000	18 + 18	12,000	12,000	0	0	0	0	0	0	2,090	10.4	9.4
3	27	27,000	9 + 9 + 9	9,000	9,000	9,000	0	0	0	0	0	2,400	11.7	10.5
		27,400	9 + 9 + 9	9,100	9,100	9,100	0	0	0	0	0	1,950	9.5	8.6
3	30	27,400	9 + 9 + 12	8,200	8,200	11,000	0	0	0	0	0	2,500	12.1	11.0
		27,600	9 + 9 + 12	8,500	8,500	10,600	0	0	0	0	0	2,100	10.2	9.2
3	33	27,400	9 + 9 + 15	7,500	7,500	12,500	0	0	0	0	0	2,630	12.8	11.6
		27,600	9 + 9 + 15	7,600	7,600	12,500	0	0	0	0	0	2,070	10.1	9.1
3	33	27,400	9 + 12 + 12	7,500	10,000	10,000	0	0	0	0	0	2,630	12.8	11.6
		27,600	9 + 12 + 12	7,900	9,900	9,900	0	0	0	0	0	2,070	10.1	9.1
3	36	27,400	12 + 12 + 12	9,100	9,100	9,100	0	0	0	0	0	2,600	12.6	11.4
		27,600	12 + 12 + 12	9,200	9,200	9,200	0	0	0	0	0	2,040	9.9	9.0
3	36	27,400	9 + 9 + 18	7,000	7,000	13,400	0	0	0	0	0	2,600	12.6	11.4
		27,600	9 + 9 + 18	6,900	6,900	13,700	0	0	0	0	0	2,040	9.9	9.0
3	36	27,400	9 + 12 + 15	6,900	9,100	11,400	0	0	0	0	0	2,600	12.6	11.4
		27,600	9 + 12 + 15	7,100	8,800	11,700	0	0	0	0	0	2,040	9.9	9.0



# H2I® MODELS

## MXZ-3C30NAHZ2/MXZ-3C30NAHZ OPERATIONAL PERFORMANCE NON-DUCTED

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
1	6	6,000	6	6,000	0	0	0	0	0	0	0	910	4.6	4.2
		7,400	6	7,400	0	0	0	0	0	0	0	860	4.4	3.9
1	9	9,000	9	9,000	0	0	0	0	0	0	0	930	4.7	4.3
		11,000	9	11,000	0	0	0	0	0	0	0	950	4.8	4.4
1	12	12,000	12	12,000	0	0	0	0	0	0	0	1,020	5.2	4.7
		14,400	12	14,400	0	0	0	0	0	0	0	1,210	6.1	5.5
1	15	14,000	15	14,000	0	0	0	0	0	0	0	1,200	6.1	5.5
		18,000	15	18,000	0	0	0	0	0	0	0	1,600	8.1	7.3
1	18	17,200	18	17,200	0	0	0	0	0	0	0	1,480	7.5	6.8
		21,600	18	21,600	0	0	0	0	0	0	0	2,000	10.1	9.2
1	24	22,500	24	22,500	0	0	0	0	0	0	0	2,290	11.6	10.5
		22,600	24	22,600	0	0	0	0	0	0	0	2,680	13.6	12.3
2	12	12,000	6 + 6	6,000	6,000	0	0	0	0	0	0	970	4.8	4.4
		14,800	6 + 6	7,400	7,400	0	0	0	0	0	0	1,030	5.1	4.6
2	15	15,000	6 + 9	6,000	9,000	0	0	0	0	0	0	1,060	5.3	4.8
		18,400	6 + 9	7,400	11,000	0	0	0	0	0	0	1,310	6.5	5.9
2	18	18,000	6 + 12	6,000	12,000	0	0	0	0	0	0	1,280	6.3	5.7
		22,000	6 + 12	7,500	14,500	0	0	0	0	0	0	1,620	8.0	7.3
2	18	18,000	9 + 9	9,000	9,000	0	0	0	0	0	0	1,280	6.3	5.7
		22,000	9 + 9	11,000	11,000	0	0	0	0	0	0	1,620	8.0	7.3
2	21	20,000	6 + 15	6,000	14,000	0	0	0	0	0	0	1,760	8.7	7.9
		22,000	6 + 15	6,400	15,600	0	0	0	0	0	0	1,900	9.4	8.5
2	21	20,000	9 + 12	8,600	11,400	0	0	0	0	0	0	1,760	8.7	7.9
		22,000	9 + 12	9,500	12,500	0	0	0	0	0	0	1,900	9.4	8.5
2	24	23,000	6 + 18	5,900	17,100	0	0	0	0	0	0	1,840	9.1	8.3
		23,000	6 + 18	5,900	17,100	0	0	0	0	0	0	2,210	11.0	9.9
2	24	23,000	9 + 15	9,000	14,000	0	0	0	0	0	0	1,840	9.1	8.3
		23,000	9 + 15	8,700	14,300	0	0	0	0	0	0	2,210	11.0	9.9
2	24	23,000	12 + 12	11,500	11,500	0	0	0	0	0	0	1,840	9.1	8.3
		23,000	12 + 12	11,500	11,500	0	0	0	0	0	0	2,210	11.0	9.9
2	27	24,000	9 + 18	8,200	15,800	0	0	0	0	0	0	1,920	9.5	8.6
		24,000	9 + 18	8,100	15,900	0	0	0	0	0	0	2,170	10.8	9.7
2	27	24,000	12 + 15	11,100	12,900	0	0	0	0	0	0	1,920	9.5	8.6
		24,000	12 + 15	10,700	13,300	0	0	0	0	0	0	2,170	10.8	9.7
2	30	24,000	6 + 24	5,100	18,900	0	0	0	0	0	0	1,900	9.4	8.5
		24,000	6 + 24	5,900	18,100	0	0	0	0	0	0	2,140	10.6	9.6
2	30	24,000	12 + 18	9,900	14,100	0	0	0	0	0	0	1,900	9.4	8.5
		24,000	12 + 18	9,600	14,400	0	0	0	0	0	0	2,140	10.6	9.6
2	30	24,000	15 + 15	12,000	12,000	0	0	0	0	0	0	1,900	9.4	8.5
		24,000	15 + 15	12,000	12,000	0	0	0	0	0	0	2,140	10.6	9.6
2	33	24,000	9 + 24	6,900	17,100	0	0	0	0	0	0	1,880	9.3	8.4
		24,000	9 + 24	7,900	16,100	0	0	0	0	0	0	2,110	10.5	9.5
2	33	24,000	15 + 18	10,800	13,200	0	0	0	0	0	0	1,880	9.3	8.4
		24,000	15 + 18	10,900	13,100	0	0	0	0	0	0	2,110	10.5	9.5
2	36	24,000	12 + 24	8,300	15,700	0	0	0	0	0	0	1,860	9.2	8.3
		24,000	12 + 24	9,300	14,700	0	0	0	0	0	0	2,080	10.3	9.3
2	36	24,000	18 + 18	12,000	12,000	0	0	0	0	0	0	1,860	9.2	8.3
		24,000	18 + 18	12,000	12,000	0	0	0	0	0	0	2,080	10.3	9.3
3	18	18,000	6 + 6 + 6	6,000	6,000	6,000	0	0	0	0	0	1,180	5.7	5.2
		22,000	6 + 6 + 6	7,300	7,300	7,300	0	0	0	0	0	1,450	7.0	6.4
3	21	21,000	6 + 6 + 9	6,000	6,000	9,000	0	0	0	0	0	1,340	6.5	5.9
		25,800	6 + 6 + 9	7,400	7,400	11,000	0	0	0	0	0	1,560	7.6	6.9
3	24	24,000	6 + 6 + 12	6,000	6,000	12,000	0	0	0	0	0	1,580	7.7	6.9
		28,400	6 + 6 + 12	7,200	7,200	14,000	0	0	0	0	0	1,700	8.3	7.5
3	24	24,000	6 + 9 + 9	6,000	9,000	9,000	0	0	0	0	0	1,580	7.7	6.9
		28,400	6 + 9 + 9	7,100	10,600	10,600	0	0	0	0	0	1,700	8.3	7.5
3	27	26,000	6 + 6 + 15	6,000	6,000	14,000	0	0	0	0	0	1,820	8.8	8.0
		28,400	6 + 6 + 15	6,400	6,400	15,600	0	0	0	0	0	1,900	9.2	8.3
3	27	28,400	6 + 9 + 12	6,300	9,500	12,600	0	0	0	0	0	1,820	8.8	8.0
		28,400	6 + 9 + 12	6,400	9,500	12,500	0	0	0	0	0	1,900	9.2	8.3
3	27	28,400	9 + 9 + 9	9,500	9,500	9,500	0	0	0	0	0	1,820	8.8	8.0
		28,400	9 + 9 + 9	9,500	9,500	9,500	0	0	0	0	0	1,900	9.2	8.3
3	30	28,400	6 + 6 + 18	5,800	5,800	16,700	0	0	0	0	0	2,220	10.8	9.8
		28,600	6 + 6 + 18	5,800	5,800	17,000	0	0	0	0	0	2,040	9.9	9.0
3	30	28,400	6 + 9 + 15	5,900	8,800	13,700	0	0	0	0	0	2,220	10.8	9.8
		28,600	6 + 9 + 15	5,800	8,600	14,100	0	0	0	0	0	2,040	9.9	9.0
3	30	28,400	6 + 12 + 12	5,700	11,400	11,400	0	0	0	0	0	2,220	10.8	9.8
		28,600	6 + 12 + 12	5,800	11,400	11,400	0	0	0	0	0	2,040	9.9	9.0

## H2I® MODELS

### MXZ-3C30NAHZ2/MXZ-3C30NAHZ OPERATIONAL PERFORMANCE NON-DUCTED, cont.,

# of Indoor Unit	Total Nominal Capacity (x1000) [KBTU/H]	TTL Indoor Unit Capacity [BTU/H]	Operational [KBTU/H] Performance for Indoor Unit Combination (x1000)	IDU1 Capacity [BTU/H]	IDU2 Capacity [BTU/H]	IDU3 Capacity [BTU/H]	IDU4 Capacity [BTU/H]	IDU5 Capacity [BTU/H]	IDU6 Capacity [BTU/H]	IDU7 Capacity [BTU/H]	IDU8 Capacity [BTU/H]	Total Input [W]	Operating current (208V) [A]	Operating current (230V) [A]
3	30	28,400	9 + 9 + 12	8,500	8,500	11,400	0	0	0	0	0	2,220	10.8	9.8
		28,600	9 + 9 + 12	8,600	8,600	11,300	0	0	0	0	0	2,040	9.9	9.0
3	33	28,400	6 + 9 + 18	5,300	7,900	15,200	0	0	0	0	0	2,250	10.9	9.9
		28,600	6 + 9 + 18	5,300	7,900	15,400	0	0	0	0	0	2,010	9.8	8.8
3	33	28,400	6 + 12 + 15	5,300	10,700	12,400	0	0	0	0	0	2,250	10.9	9.9
		28,600	6 + 12 + 15	5,300	10,300	12,900	0	0	0	0	0	2,010	9.8	8.8
3	33	28,400	9 + 9 + 15	8,000	8,000	12,400	0	0	0	0	0	2,250	10.9	9.9
		28,600	9 + 9 + 15	7,900	7,900	12,900	0	0	0	0	0	2,010	9.8	8.8
3	33	28,400	9 + 12 + 12	7,700	10,300	10,300	0	0	0	0	0	2,250	10.9	9.9
		28,600	9 + 12 + 12	7,900	10,300	10,300	0	0	0	0	0	2,010	9.8	8.8
3	36	28,400	6 + 6 + 24	4,900	4,900	18,500	0	0	0	0	0	2,220	10.8	9.8
		28,600	6 + 6 + 24	5,700	5,700	17,300	0	0	0	0	0	1,980	9.6	8.7
3	36	28,400	6 + 12 + 18	4,800	9,700	13,900	0	0	0	0	0	2,220	10.8	9.8
		28,600	6 + 12 + 18	4,900	9,500	14,200	0	0	0	0	0	1,980	9.6	8.7
3	36	28,400	6 + 15 + 15	5,000	11,700	11,700	0	0	0	0	0	2,220	10.8	9.8
		28,600	6 + 15 + 15	4,900	11,900	11,900	0	0	0	0	0	1,980	9.6	8.7
3	36	28,400	9 + 9 + 18	7,300	7,300	13,900	0	0	0	0	0	2,220	10.8	9.8
		28,600	9 + 9 + 18	7,200	7,200	14,200	0	0	0	0	0	1,980	9.6	8.7
3	36	28,400	9 + 12 + 15	7,300	9,700	11,400	0	0	0	0	0	2,220	10.8	9.8
		28,600	9 + 12 + 15	7,200	9,500	11,900	0	0	0	0	0	1,980	9.6	8.7
3	36	28,400	12 + 12 + 12	9,500	9,500	9,500	0	0	0	0	0	2,220	10.8	9.8
		28,600	12 + 12 + 12	9,500	9,500	9,500	0	0	0	0	0	1,980	9.6	8.7